

Myron Bowling Auctioneers



JESC MFG, LLC - ONLINE ONLY

JESC MFG, LLC - ONLINE
ONLY
9571 Pan American Drive
El Paso
Texas
79927
United States

Cutting & Engraving Equipment

Ends from May 16, 2019 2pm MDT (9pm BST)

Lot	Description
1	Ryobi column drill (chuck and lasser alignment system included), 1/2 hp engine. Taladro de columna con broquero de media marca Ryobi, motor de 1/2 h.p. con laser de posicionamiento
2	Ryobi column drill (chuck and lasser alignment system included), 1/2 hp engine. Taladro de columna con broquero de media marca Ryobi, motor de 1/2 h.p. con laser de posicionamiento
3	Ryobi column drill (chuck and lasser alignment system included), 1/2 hp engine. Taladro de columna con broquero de media marca Ryobi, motor de 1/2 h.p. con laser de posicionamiento
4	JET horizontal Bandsaw 5 by 6 inches, 1/2 hp. Sierra cinta horizontal marca Jet con motor de 1/2 h.p.
5	Ryobi 4x36 inch, Belt/Disc sander. Lijadora de banda y disco de 4" x 10"marca Ryobi
6	Phillican CO2 laser engraver and cutting machine, model 6090. 2017 Laser medium CO2, Working area 600x900mm, Blade table, Laser power 40w/60w/80w/opitiom, Power supply 220v/160v/, Mini line width ?0.15mm, Position accuracy 0.01mm, Repetition accuracy 0.02mm, Cutting speed 80mm/s, Belt Transmiss ...[more]
7	Phillican CO2 laser engraver and cutting machine, model 6090. 2016 Laser medium CO2, Working area 600x900mm, Blade table, Laser power 40w/60w/80w/opitiom, Power supply 220v/160v/, Mini line width ?0.15mm, Position accuracy 0.01mm, Repetition accuracy 0.02mm, Cutting speed 80mm/s, Belt Transmis ...[more]
8	Phillican CO2 laser engraver and cutting machine, model 6090. 2016 Phillican CO2 laser engraver and cutting machine, model 6090. Laser medium CO2, Working area 600x900mm, Blade table, Laser power 40w/60w/80w. Power supply 220v/160v. Mini line width ?0.15mm, Position accuracy 0.01mm, Repetition ...[more]
9	Phillican CO2 laser engraver and cutting machine, model 6090. 2017 Phillican CO2 laser engraver and cutting machine, model 6090. Laser medium CO2, Working area 600x900mm, Blade table, Laser power 40w/60w/80w. Power supply 220v/160v. Mini line width ?0.15mm, Position accuracy 0.01mm, Repetition ...[more]
10	Phillican CO2 laser engraver and cutting machine, model 6090. 2017 Phillican CO2 laser engraver and cutting machine, model 6090. Laser medium CO2, Working area 600x900mm, Blade table, Laser power 40w/60w/80w. Power supply 220v/160v. Mini line width ?0.15mm, Position accuracy 0.01mm, Repetition ...[more]
11	2011 OMAX MAXIEM 1530 WATER JET CNC CUTTING MACHINE, Outside dimensions Table Size 5'9" x 12'7", 50,000 PSI, X-Y Cutting, 10'2" X 5'2" bed size, Max material load 250 lbs per sq ft, Max travel speed 350 inches/ min (9m/min), Footprint 13'8" x 8' 2", Operating height 10 ft, Weight 6,212 lbs, Operati ...[more]

- 12 2011 OMAX MAXIEM 1530 WATER JET, CNC CUTTING MACHINE, Outside dimensions Table Size 5'9" x 12'7", 50,000 PSI, X-Y Cutting, 10'2" X 5'2" bed size, Max material load 250 lbs per sq ft, Max travel speed 350 inches/ min (9m/min), Footprint 13'8" x 8' 2", Operating height 10 ft, Weight 6,212 lbs, Operat ...[more]
-
- 13 Industrial Fluid Chillers portable chiller for outdoor application NEMA 4 Chiller de refrigeración marca Fluid Chillers para aplicaciones NEMA 4
-
- 14 Flow Waterknife 7x, Intensifier Waterjet Pump: 60,000 PSI Operating Pressure, Mawp 483 kpg, series 9542, year 2000. Intensificador de presión marca Flow para aplicaciones de material abrasivo de cortadoras por chorro de agua, mod. Waternife 7x, Mawp 483 kpg, serie 9542, año 2000
-
- 15 Hyster Electric Pallet Jack model W40z, max load 4,000 pounds, built-in battery charger and 24V battery, 3.9ft pallet jack. Traspaleta eléctrica marca Hyster mod. W40Z serie B218N04795A batería de 24 Volts, cap. 1.8 Ton, uñas de 1.2 m.
-
- 16 Phillican CO2 laser engraver and cutting machine, model 6090. 2016 Laser medium CO2, Working area 600x900mm, Blade table, Laser power 40w/60w/80w. Power supply 220v/160v. Mini line width ?0.15mm, Position accuracy 0.01mm, Repetition accuracy 0.02mm, Cutting speed 80mm/s, Belt Transmission, Lead ...[more]
-
- 17 Phillican CO2 laser engraver and cutting machine, model 6090. 2016 Laser medium CO2, Working area 600x900mm, Blade table, Laser power 40w/60w/80w. Power supply 220v/160v. Mini line width ?0.15mm, Position accuracy 0.01mm, Repetition accuracy 0.02mm, Cutting speed 80mm/s, Belt Transmission, Lead ...[more]
-
- 18 Phillican CO2 laser engraver and cutting machine, model 6090. 2017 Laser medium CO2, Working area 600x900mm, Blade table, Laser power 40w/60w/80w. Power supply 220v/160v. Mini line width ?0.15mm, Position accuracy 0.01mm, Repetition accuracy 0.02mm, Cutting speed 80mm/s, Belt Transmission, Lead ...[more]
-
- 19 2016 Phillican CO2 laser engraver and cutting machine, model 6090. Laser medium CO2, Working area 600x900mm, Blade table, Laser power 40w/60w/80w. Power supply 220v/160v. Mini line width ?0.15mm, Position accuracy 0.01mm, Repetition accuracy 0.02mm, Cutting speed 80mm/s, Belt Transmission, Leadshin ...[more]
-
- 20 2016 Phillican CO2 laser engraver and cutting machine, model 6090. Laser medium CO2, Working area 600x900mm, Blade table, Laser power 40w/60w/80w. Power supply 220v/160v. Mini line width ?0.15mm, Position accuracy 0.01mm, Repetition accuracy 0.02mm, Cutting speed 80mm/s, Belt Transmission, Lead ...[more]
-
- 21 Visual Thermoforming model CT3036 skin packager, S/N 39320593, 220V, 3PH, 60HZ, 27.5x35 inch. infeed table Termo formadora marca Visual Thermoforming mod. CT3036 serie 39320593 mesa de trabajo de .70 x .90 m, 220 volts, 60 amp. (Sola para partes)
-
- 22 Visual Thermoforming model CT3036 skin packager, S/N CT3495, 220V, 3PH, 60HZ, 27.5x35 inch. infeed table Termo formadora marca Visual Thermoforming mod. CT3036 serie CT3495 mesa de trabajo de .70 x .90 m, 220 volts, 60 amp.
-
- 23 Visual Thermoforming model CT3036 skin packager, S/N 43390395, 220V, 3PH, 60HZ, 27.5x35 inch. infeed table Termo formadora marca Visual Thermoforming mod. CT3036 serie 43390395, mesa de trabajo de .70 x .90 m, 220 volts, 60 amp.
-
- 24 Toyota 6,600 lb. Forklift, Model: 8FGCU32, LPG engine, Max fork height 11 ft. Serial number: 8FGCU32 Montacargas a gas marca Toyota mod. 8FGCU32 serie 12865 cap. 3 Ton con doble torre de altura max 4.7 m
-
- 25 Cochran reverse osmosis water purification system with water tank of 660 gal. Sistema purificador de agua por osmosis inversa marca Cochran incluye tanque de 2,500 lts.
-

- 26 2017 Phillican CO2 laser engraver and cutting machine, model 6090. Laser power: 80x2w, 3.2Kw, series 20170126 manufacturing date: 07/07/2017 Cortadora laser marca Philicam mod. 6090 mesa de trabajo de .60 x .90 m, potencia laser 80 x 2 , potencia total 3.2 Kw serie 20170126 año 07/07/2017
-
- 27 2017 Phillican CO2 laser engraver and cutting machine, model 6090. Laser power: 80x2w, 3.2Kw, series 20170130 manufacturing date: 07/07/2017 Cortadora laser marca Philicam mod. 6090 mesa de trabajo de .60 x .90 m, potencia laser 80 x 2 , potencia total 3.2 Kw serie 20170130 año 07/07/2017
-
- 28 2016 Phillican CO2 laser engraver and cutting machine, model 6090. Laser power: 80x2w, 2Kw, series 2016050047 manufacturing date: 05/12/2016 Cortadora laser marca Philicam mod. 6090 mesa de trabajo de .60 x .90 m, potencia laser 80 x 2 , potencia total 2.0 Kw serie 2016050047 año 05/12/2016
-
- 29 2017 Phillican CO2 laser engraver and cutting machine, model 6090. Laser power: 80x2w, 3.2Kw, series 20170126 manufacturing date: 07/07/2017 Cortadora laser marca Philicam mod. 6090 mesa de trabajo de .60 x .90 m, potencia laser 80 x 2 , potencia total 3.2 Kw serie 20170126 año 07/07/2017
-
- 30 3M-Matic Case Sealing Systems, carton sealing machine mod. A20, serial number 51032, year 2014, 240 watts. Maquina selladora de cajas marca 3M-Matic Case Sealing Systems mod. A20, serie 51032, año 2014, 240 watts
-
- 31 3M-Matic Case Sealing Systems, carton sealing machine mod. A20, serial number 51285, year 2015, 240 watts. Maquina selladora de cajas marca 3M-Matic Case Sealing Systems mod. A20, serie 51285 año 2015, 240 watts
-
- 32 Hyster 3,300 pounds, R30ES stand-up forklift, serial number B174H02269R. Max height 16 ft., includes 24V battery and Exide System 3000 battery charger, model ES3-12-680, serial number HR49261.1.01 Montacargas hombre parado marca Hyster mod. R30ES serie B174H02269R batería de 24 Volts, cap. 1.54Ton, ...[more]
-
- 33 Flow IFB abrasive waterjet cutting system with 2 heads , 5.5x6.8x3.2 ft tub. Cortadora por chorro de agua para piedra marca Flow con tina de 1.70 x 2.10 x 1.00 m con dos cabezales incluye gabinete de control
-
- 34 Clemco blast machine, year 2013, capacity of 6 cubic feet & max pressure 100 psi. Silo móvil para arena abrasiva de cortadores de chorro de agua marca Clemco Industries Co, mod. 2452, máxima presión 150 psi g, cap. 6 pies cúbicos, año 2013
-
- 35 Ryobi wood edger Canteadora para madera marca Ryobi
-
- 36 GS Manual pallet truck, max load capacity 2.5 ton, 3.9ft pallet jack. Traspaleta hidráulica marca GS cap. 2.5 Ton, uñas de 1.20 m
-
- 37 15 pallets of raw material; brazilian esteatita stone in different sizes of lenght and thikness 15 Tarimas de materia prima de piedra esteatita brasileña en diferentes medidas y espesores
-
- 38 16 pallets of raw material; brazilian esteatita stone in different sizes of lenght and thikness 16 Tarimas de materia prima de piedra esteatita brasileña en diferentes medidas y espesores
-
- 39 18 pallets containing: 600 boxes of finished product (engraved and shaped esteatita stones). 18 Tarimas con 600 cajas de producto terminado en piedra esteatita en diferentes presentaciones
-
- 40 16 pallets containing: 500 boxes of finished product (engraved and shaped esteatita stones and wood). 16 Tarimas con 500 cajas de producto terminado en piedra esteatita y madera en diferentes presentaciones
-

- 41 8 pallets of raw material, brazilian esteatita stone in 10x10cm cut crafted squares; & 6 pallets of finished product (engraved and shaped esteatita stones). 8 Tarimas de materia prima de piedra esteatita brasileña en cuadros de 10 x 10 cm y 6 tarimas de producto terminado en piedra esteatita en ...[more]
-
- 42 16 pallets containing: 500 boxes of finished product (engraved and shaped esteatita stones). 16 Tarimas con 500 cajas de producto terminado en piedra esteatita en diferentes presentaciones
-
- 43 16 pallets containing: 500 boxes of finished product (engraved and shaped esteatita stones). 16 Tarimas con 600 cajas de producto terminado en piedra esteatita en diferentes presentaciones
-
- 44 16 pallets containing: 500 boxes of finished product (engraved and shaped esteatita stones). 16 Tarimas con 600 cajas de producto terminado en piedra esteatita en diferentes presentaciones
-
- 45 11 pallets with 500 boxes of finished product (engraved and shaped esteatita stones) & 2 pallets of raw material, brazilian esteatita stone in 10x10cm cut crafted squares. 11 Tarimas con 500 cajas de producto terminado en piedra esteatita en diferentes presentaciones y 2 tarimas de materia prima ...[more]
-