

**8/20 Online Only Auction:
MULTI-LOCATION MACHINE TOOLS & FABRICATION EQUIPMENT SURPLUS**

LOCATIONS:

- 1 2622 Martinville Dr, Houston, TX 77017
- 2 3603 Melva Street, Houston, TX 77020
- 3 5602 Arapahoe St., Houston, TX 77020
- 4 12221 N. Houston Rosslyn Rd. Houston, TX 77086
- 5 6501 Navigation Blvd., Houston, TX 77011
- 6 875 Lockwood Dr., Houston, TX 77020
- 7 13500 John F Kennedy Blvd., Houston TX 77039
- 8 4214 Bluebonnet Drive, Houston, TX 77053

Lot #	Location	Long Description
1	1	H - FRAME PRESS ESTIMATED 50 TONS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
2	1	BANDING CART WITH TOOLING,EXTRA METAL BANDING MATERIAL, AND BUCKETS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
3	1	RIGHT ANGLE GRINDER, 7' 1/4" MILWAUKEE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
4	1	STRAIGHT ARBOR GRINDER, PNEUMATIC (LOCATION: 2622 Martinville Dr, Houston TX 77017)
5	1	LOT PNEUMATIC 3/4" DRIVE IMPACT AND 3/8" CAP. DRILL (LOCATION: 2622 Martinville Dr, Houston TX 77017)
6	1	ELECTRIC DRILL 1/2" CAP. (LOCATION: 2622 Martinville Dr, Houston TX 77017)
7	1	LOT (2) ELECTRIC DRILLS 3/8" CAP. (LOCATION: 2622 Martinville Dr, Houston TX 77017)
8	1	LOT (1) 36 INCH PIPE WRENCH, (1) 1-3/4" COMBINATION WRENCH, (2) PIPE CHAIN WRENCH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
9	1	LOT WRENCHES, (3) COMBINATION, (1) 1-7/16", (2) 1-1/4" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
10	1	LOT ASSORTED DRILLS, TAPS, CARBIDE INSERT END MILLS AND TOOL STAND END MILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
11	1	LOT ASSORTED TAPERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
12	1	LOT ASSORTED DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
14	1	LOT (3) SLEDGE HAMMERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
15	1	LOT - 14" DIAMETER ABRASIVE CUT-OFF BLADES (10) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
16	1	LOT MISC. SHOP HAND TOOLING, SHOP RAGS, EMERY CLOTH, SHIM STOCK, PNEUMATIC DIE GRINDERS, FILES, OIL CANS, COOLANT NOZZLES AND ETC. (LOCATION: 2622 Martinville Dr, Houston TX 77017)
17	1	LOT SANDING BELTS 2"X 29.5" 60 GRIT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
18	1	SHOP FAN 48" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
19	1	PEDESTAL FAN 30" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
25	1	LOT - (3) TOOL CHEST (LOCATION: 2622 Martinville Dr, Houston TX 77017)
26	1	LOT DIE NUTS AND HANDLES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
27	1	LOT GASKET HOLE PUNCHES 1-1/8", 2", 1-7/8", 1-1/2", 2-1/4", ETC. (LOCATION: 2622 Martinville Dr, Houston TX 77017)
28	1	LOT (2) MULTI ROLLING DRAWER CABINETS WITH CONTENT FILES, ALLEN WRENCHES, METRIC WRENCHES, ETC. (LOCATION: 2622 Martinville Dr, Houston TX 77017)
31	1	LOT (4) SHOP WORK TABLES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
32	1	ABRASIVE CHOP SAW, MAKITA 14" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
33	1	LOT (2) BALDOR 1/3 H/P, DOUBLE END , BENCH GRINDERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
34	1	BALDOR 3/4 H/P, DOUBLE END, BENCH GRINDER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
35	1	BENCH VISE 6" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
37	1	MACHINIST SWIVEL BASE VISE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
38	1	MACHINIST 4" SWIVEL BASE VISE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
39	1	HEAVY DUTY MACHINIST 6" VISE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
40	1	HEAVY DUTY MACHINIST 6" VISE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
41	1	HEAVY DUTY MACHINIST 8" VISE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
42	1	MACHINIST VISE 4"and 4" TILTING MACHINIST VISE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
43	1	HEAVY DUTY MACHINIST VISE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
44	1	LOT LARGE DIAMETER TAPER SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
45	1	LOT LARGE DIAMETER TAPER SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
46	1	LOT LARGE DIAMETER TAPER SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
47	1	LOT LARGE DIAMETER TAPER SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
48	1	LOT LARGE DIAMETER TAPER SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
49	1	LOT LARGE DIAMETER TAPER SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
50	1	LOT TAPER SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
51	1	LOT TAPER SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
52	1	LOT STRAIGHT AND TAPER SHANK LONG REACH DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
53	1	LOT STRAIGHT AND TAPER SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
54	1	LOT STRAIGHT SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
55	1	LOT STRAIGHT SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
56	1	LOT STRAIGHT SHANK TWIST DRILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
59	1	LOT (7) JACOBS DRILL CHUCKS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
60	1	LOT (6) JACOBS DRILL CHUCKS (LOCATION: 2622 Martinville Dr, Houston TX 77017)

61	1	LOT (6) JACOBS DRILL CHUCKS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
62	1	LOT ASSORTED END MILLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
63	1	LOT SIDE MILL CUTTERS, REAMERS, COUNTER SINKS, WOODRUFF KEY WAY CUTTERS, FLY CUTTERS, ETC. (LOCATION: 2622 Martinville Dr, Houston TX 77017)
64	1	LOT TOOL STEEL AND BRAZED CARBIDE TIPPED TOOLING (LOCATION: 2622 Martinville Dr, Houston TX 77017)
65	1	LOT SPADE DRILLS, LONGREACH, AND LARGE DIA. WITH BLADES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
66	1	LOT 50 TAPER TOOLING TOOL HOLDERS, ARBOR SPACERS AND QUICK CHANGE TOOL HOLDERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
67	1	LOT ASSORTED TAPES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
68	1	LOT ASSORTED TAPES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
69	1	LOT ASSORTED TAPES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
70	1	LOT DA-1 ALORIS TOOLING MOLDERS AND BORING BAR TOOL HOLDERS (13) EST. PC (LOCATION: 2622 Martinville Dr, Houston TX 77017)
71	1	LOT DA-1 ALORIS TOOLING MOLDERS AND BORING BAR TOOL HOLDERS (13) EST. PC (LOCATION: 2622 Martinville Dr, Houston TX 77017)
72	1	LOT DA-1 ALORIS TOOLING MOLDERS AND BORING BAR TOOL HOLDERS (13) EST. PC (LOCATION: 2622 Martinville Dr, Houston TX 77017)
73	1	LOT DA-1 ALORIS TOOLING MOLDERS AND BORING BAR TOOL HOLDERS (13) EST. PC (LOCATION: 2622 Martinville Dr, Houston TX 77017)
74	1	LOT DA-1 ALORIS TOOLING MOLDERS AND BORING BAR TOOL HOLDERS (13) EST. PC (LOCATION: 2622 Martinville Dr, Houston TX 77017)
75	1	LOT CARBIDE INSERT TURNING TOOLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
76	1	LOT CARBIDE INSERT TURNING TOOLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
77	1	LOT CARBIDE INSERT TURNING TOOLS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
78	1	LOT CARBIDE INSERT BORING BARS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
79	1	LOT CARBIDE INSERT BORING BARS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
80	1	LOT CARBIDE INSERT BORING BARS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
81	1	LOT CARBIDE INSERT BORING BARS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
82	1	LOT CARBIDE INSERT BORING BARS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
83	1	LOT BORING BAR, EXCHANGEABLE CARBIDE INSERT, BORING HEADS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
86	1	LOT BRAZED TOOLING BORING BARS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
86A	1	LOT DRILL ADAPTER SLEEVES, (3) NO. 2 MORSE TO NO. 2 MORSE TAPER, (3) NO. 3 MORSE TO NO. 2 MORSE TAPER, NO. 4 MORSE TO NO.2 MORSE TAPER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
87	1	ROTARY TABLE, 18", TROYKE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
88	1	SUPER SPACER 14" WITH 12" DIAMETER, 4- JAW CHUCK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
89	1	SUPER SPACER 7" WITH 6" 3-JAW CHUCK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
89B	1	SUPER SPACER, 4" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
90	1	METAL SHOP TABLE WITH 6" BENCH VISE (30" X 72") (LOCATION: 2622 Martinville Dr, Houston TX 77017)
91	1	METAL SHOP TABLE 26" X 64" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
92	1	HD METAL SHOP TABLE WITH 1-1/2" TK PLATE 26" X 60" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
93	1	FLOOR JIB 1 TON CAP WITH 1 TON JET ELECTRIC CHAIN HOIST, PENDENT CONTROL, 97" HOOK HIEGHT, EST. 18 FT. REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
94	1	360 DEGREE, FLOOR JIB, 1 TON CAP WITH 1 TON COFFIN ELECTRIC CHAIN HOIST, PENDENT CONTROL, 126" HOOK HIEGHT, EST. 18 FT. REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
95	1	FLOOR JIB, 1 TON CAP WITH 1 TON COFFIN ELECTRIC CHAIN HOIST, PENDENT CONTROL, 107" HOOK HIEGHT, 18 FT. REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
96	1	FLOOR JIB, 1 TON CAP WITH 1 TON YALE ELECTRIC CHAIN HOIST, PENDENT CONTROL, 85" HOOK HEIGHT, 18 FT. REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
97	1	FLOOR JIB, 1 TON CAP, 129" UNDER RAIL HEIGHT, 18 FT. REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
98	1	HORIZONTAL BANDSAW, MARVEL, MDL. 15A, S/N NA (LOCATION: 2622 Martinville Dr, Houston TX 77017)
99	1	ENGINE LATHE, AXELSON 25" X 96", WITH 20" 4 JAW CHUCK, TAPER ATTACHMENT, TAILSTOCK, (2) STEADY RESTS, S/N 3449 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
100	1	ENGINE LATHE, AXELSON 24" X 96", WITH 24" 4 JAW CHUCK, TAPER ATTACHMENT, TAILSTOCK, (3) STEADY RESTS, S/N 1098 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
101	1	ENGINE LATHE, AXELSON 20" X 91", WITH 22" 4 JAW CHUCK, TAPER ATTACHMENT, TAILSTOCK, STEADY REST, S/N 3018 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
102	1	ENGINE LATHE, AXELSON 20" X 48", WITH 20" 4 JAW CHUCK, TAPER ATTACHMENT, TAILSTOCK, STEADY REST, S/N 3110 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
103	1	ENGINE LATHE, AXELSON, 20" X 120", WITH 18" 4 JAW CHUCK, TAPER ATTACHMENT, TAILSTOCK, (2) STEADY REST, S/N 3256 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
104	1	ENGINE LATHE, AXELSON, 20" X 144", WITH 20" 4 JAW CHUCK, TAPER ATTACHMENT, TAILSTOCK, STEADY REST, S/N 3378 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
105	1	ENGINE LATHE, AXELSON 20" X 43", WITH 20" 4 JAW CHUCK, TAPER ATTACHMENT, TAILSTOCK, S/N 1877 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
106	1	ENGINE LATHE, AXELSON 18" X 93", WITH 18" 4 JAW CHUCK, TAPER ATTACHMENT, TAILSTOCK, STEADY REST, S/N 2448 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
107	1	VERTICAL TURRET MILL, ACER E-MILL, 2 H/P, RAPID TRAVEL "X" AXIS S/N 8080151 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
109	1	RADIAL ARM DRILL, FOSDICK, 4 FOOT, 12" COLUMN, WITH "T" SLOTTED BOX TABLE 20" X 31" X 19" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
110	1	LOT MORSE TAPER QUICK CHANGE TOOLING TOOL HOLDERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
111	1	VERTICAL MILL, BRIDGEPORT SERIES II, S/N 1828 (LOCATION: 2622 Martinville Dr, Houston TX 77017)

112	1	VERTICAL MILL, CINCINNATI DIAL TYPE NUMBER 5, S/N 4A5V-5EE-5 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
112A	1	LOT UNIVERSAL 300 & 200 SERIES K.S. QUICK CHANGE TOOLING TOOL HOLDERS WITH TABLE & STAND (LOCATION: 2622 Martinville Dr, Houston TX 77017)
113A	1	LOT 50 TAPER TOOLING TOOL HOLDERS AND MILLING ARBORS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
114	1	TRACER GAP BED ENGINE LATHE, CAZENEUVE, 24"-4 JAW CHUCK, SWING IN GAP 36" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
114A	1	STERLING PEDESTAL GRINDER, S/N 40682 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
115	1	METAL BENCH WITH DOUBLE END TOOL GRINDER & BENCH GRINDER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
116	1	AIR COMPRESSOR, SPEEDAIR, 2 STAGE, RECIPROCATING TYPE, 10 H/P, HORIZONTAL TANK, 120 GAL. (LOCATION: 2622 Martinville Dr, Houston TX 77017)
117	1	AIR COMPRESSOR, SINGLE STAGE, RECIPROCATING TYPE, 2 H/P, HORIZONTAL TANK MOUNT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
118	1	FLOOR JIB, 1 TON CAP WITH JET 1 TON ELECTRIC CHAIN HOIST, PENDENT CONTROL, 18 FOOT BEAM (LOCATION: 2622 Martinville Dr, Houston TX 77017)
119	1	FLOOR JIB, 1 TON CAP WITH JET 1 TON ELECTRIC CHAIN HOIST, PENDENT CONTROL, 18 FOOT BEAM (LOCATION: 2622 Martinville Dr, Houston TX 77017)
120	1	FLOOR JIB, 1 TON CAP WITH JET 1 TON ELECTRIC CHAIN HOIST, PENDENT CONTROL, 18 FOOT BEAM (LOCATION: 2622 Martinville Dr, Houston TX 77017)
121	1	FLOOR JIB, 1 TON CAP WITH 1 TON JET ELECTRIC CHAIN HOIST PENDENT CONTROL, 13 FOOT REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
122	1	FLOOR JIB, 1 TON CAP WITH 1 TON JET ELECTRIC CHAIN HOIST PENDENT CONTROL, 13 FOOT REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
123	1	FLOOR JIB, 1 TON CAP WITH 1 TON JET ELECTRIC CHAIN HOIST PENDENT CONTROL, 13 FOOT REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
124	1	FLOOR JIB, 1 TON CAP WITH 1 TON JET ELECTRIC CHAIN HOIST PENDENT CONTROL, 13 FOOT REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
125	1	FLOOR JIB, 1 TON CAP, 14 FOOT REACH, AND LIGHT JIB (NO HOIST) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
126	1	FLOOR JIB, 1 TON CAP, 360 DEGREE ROTATION, (NO HOIST) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
126A	1	SHOP TABLE, WOOD 8 FOOT X 27.5" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
127	1	SHOP TABLE, WOOD 7 FOOT X 29.5" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
128	1	SHOP TABLE, WOOD 7 FOOT X 26" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
129	1	SHOP TABLE, WOOD 8 FOOT X 29" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
130	1	LOT (2) SHOP TABLES, (2) WOOD STORAGE CABINETS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
131	1	WOOD MULTI DRAWER TILT TOP, STORAGE TABLE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
132	1	PEDESTAL GRINDER, DOUBLE END, 10" DIAMETER WHEEL (LOCATION: 2622 Martinville Dr, Houston TX 77017)
133	1	25" DIAMETER, 4 JAW, MANUAL CHUCK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
133B	1	STEADY REST WITH 9" CENTER, 35" OVERALL HEIGHT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
134	1	25" DIAMETER, 3 JAW, MANUAL CHUCK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
136	1	20" DIAMETER, 3 JAW MANUAL CHUCK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
137	1	18" DIAMETER, 3 JAW MANUAL CHUCK CAM LOCK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
138	1	18" DIAMETER 4 JAW MANUAL CHUCK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
139	1	16" DIAMETER, 3 JAW MANUAL CHUCK CAM LOCK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
140	1	15" DIAMETER, 3 JAW, MANUAL CHUCK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
141	1	15" DIAMETER, 3 JAW, MANUAL CHUCK, CAM LOCK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
142	1	LOT (2) 20" DIAMETER MANUAL CHUCKS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
143	1	LOT (2) MANUAL CHUCKS, (1) 20", (1) 12" DIAMETER, 3 JAW (LOCATION: 2622 Martinville Dr, Houston TX 77017)
144	1	LOT CHUCK COMPONENTS, JAWS, SCREWS AND CHUCK WRENCHS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
145	1	BORING BAR 2.5" DIAMETER X 36" CARBIDE INSERT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
146	1	BORING BAR 2.5" DIAMETER X 36" CARBIDE INSERT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
147	1	BORING BAR 2.5" X 28" CARBIDE INSERT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
148	1	BORING BAR 3" X 36" BRAZED TOOLING (LOCATION: 2622 Martinville Dr, Houston TX 77017)
149	1	BORING BAR 4" X 5 FOOT BRAZED TOOLING (LOCATION: 2622 Martinville Dr, Houston TX 77017)
150	1	BORING BAR LARGE DIAMETER 5" DIAMETER BY 48" BRAZED TOOLING (LOCATION: 2622 Martinville Dr, Houston TX 77017)
151	1	BORING BAR LARGE DIAMETER 5" DIAMETER BY 7 FOOT BRAZED TOOLING (LOCATION: 2622 Martinville Dr, Houston TX 77017)
152	1	BORING BAR 4" DIAMETER BY 63" BRAZED TOOLING (LOCATION: 2622 Martinville Dr, Houston TX 77017)
153	1	BORING BAR LARGE DIAMETER 5" DIAMETER BY 46" LONG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
154	1	BORING BAR 2.5" DIAMETER BY 3 FOOT BRAZED TOOLING (LOCATION: 2622 Martinville Dr, Houston TX 77017)
155	1	LOT LARGE DIAMETER BORING BAR QUICK CHANGE TOOLING HOLDER, (1) TOOL POST SLOTTED BORING BAR 13 RACKET (LOCATION: 2622 Martinville Dr, Houston TX 77017)
156	1	LARGE DIAMETER LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
157	1	LARGE DIAMETER LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
158	1	LARGE DIAMETER LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
159	1	LARGE DIAMETER LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
160	1	LARGE DIAMETER LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
161	1	LARGE DIAMETER LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
162	1	LARGE DIAMETER LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
163	1	LOT (3) LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
164	1	LOT (3) LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
165	1	LOT (3) LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)

166	1	LOT (3) LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
167	1	LOT (5) LIVE CENTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
168	1	LOT (2) LIVE CENTERS (1) BULL NOSE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
169	1	LOT DORIAN QUICK CHANGE TOOLING TOOL HOLDERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
169A	1	LOT (5) CARBIDE INSERT MILLING CUTTERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
170	1	LOT ADJUSTABLE BORING HEADS AND VERSATILE-BUCK TAPPER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
171	1	LOT CARBIDE INSERT FACING HEADS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
172	1	LOT MORSE TAPER ADAPTER SLEAVES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
173	1	THREADED ROD ASTM, A193 GRADE B7, ACME 2G LEFTHAND 7/8" DIAMETER -6 PITCH USED FOR APRON CROSS SLIDE SCREW (LOCATION: 2622 Martinville Dr, Houston TX 77017)
174	1	LOT "V" BLOCKS, QUICK CHANGE TOOL POST, ETC., BRIDGEPORT 7" COLUMN RISER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
174A	1	LOT TIE DOWN COMPONENT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
174B	1	LOT ELECTRIC MOTORS AND SUMP PUMPS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
174C	1	LOT (2) ALEMITE PUMP GREASE GUNS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
174D	1	LOT CHOCKER NYLON STRAPS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
175	1	AIR COMPRESSOR SPEEDAIR, VERTICAL TANK MOUNT, RECIPROCATING 2 STAGE COMPRESSOR, 230 VOLT, 60 GALLON TANK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
176	1	WELDER, MILLER MP-30E, 300 AMP S/N JB548473, WITH MILLER WIRE FEEDER 22A AND GUN (LOCATION: 2622 Martinville Dr, Houston TX 77017)
177	1	WELDER, LINCOLN R3R, 500 AMP S/N AC538758 WITH LEADS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
178	1	DRILL PRESS, WILTON (LOCATION: 2622 Martinville Dr, Houston TX 77017)
179	1	OXYGEN AND CUTTING TORCH, GAGES, HOSE AND CART (LOCATION: 2622 Martinville Dr, Houston TX 77017)
180	1	1 TON YALE HOIST (LOCATION: 2622 Martinville Dr, Houston TX 77017)
180A	1	LOT (2) ADJUSTABLE ROLLER SUPPORT STANDS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
183	1	VERTICAL TURRET MILL, BIG JOE WITH RAPID TRAVEL X AXIS, S/N (LOCATION: 2622 Martinville Dr, Houston TX 77017)
183A	1	LOT R-8 TOOLING (LOCATION: 2622 Martinville Dr, Houston TX 77017)
183B	1	LOT 2 DOOR STORAGE CABINET WITH CONTENTS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
184	1	FLOOR JIB 1 TON CAP WITH 1 TON VALUSTON ELECTRIC CHAIN HOIST 14 FOOT REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
185	1	FLOOR JIB 1 TON CAP 1 TON ELECTRIC CHAIN HOIST 15 FOOT REACH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
185A	1	4-1/2" H90 GAGE RING AND PLUG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
186	1	5" H90 RING AND PLUG THREAD GAGES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
187	1	3-1/2" API FH ROTARY RING AND PLUG THREAD GAGES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
188	1	4" H90 RING AND PLUG THREAD GAGES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
189	1	2-7/8" 4 IF RING AND PLUG THREAD GAGES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
190	1	5-1/2" H90 RING AND PLUG THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
191	1	4-1/2" API FH ROTARY, RING AND PLUG THREAD GAGES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
192	1	3-1/2" HUGHE EXTRA HOLE RING (LOCATION: 2622 Martinville Dr, Houston TX 77017)
193	1	5-1/2" IF RING AND PLUG THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
194	1	LOT (6) RING AND PLUG THREAD GAGES, 2-7/8" NU-10RD, 2 3/8" NU-10RD, 1-13/16", (2) RING AND PLUG GAGES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
195	1	7" 5-BUTTRESS CSG RING THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
196	1	7-5/8" BUTTRESS CSG RING THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
197	1	9-5/8" BUTTRESS CSG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
198	1	9-5/8" BUTTRESS CSG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
199	1	8.390-4 V038 RING (LOCATION: 2622 Martinville Dr, Houston TX 77017)
200	1	9-5/8" API -8 RD- CSG RING THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
201	1	7-5/8" H90 RING THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
202	1	9.950 - 4 V038 PLUG THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
203	1	8.187 - 4 V038 PLUG THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
204	1	10-3/4" BUTTRESS PLUG THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
205	1	5" BUTTRESS RING THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
206	1	4-1/2" API CSG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
207	1	4.089" - 6 V040 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
208	1	5-1/2" API CSG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
209	1	3.974" - 6 V040 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
210	1	4.265" - 6 V040 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
210A	1	7" - 4 V040 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
211	1	6.0 - 4 V038 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
212	1	7" BUTTRESS CSG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
213	1	7" API CSG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
214	1	6-5/8" H90 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
215	1	7-5/8" REG. L.H. .625 SO RING THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
216	1	4.265" - 6 V040 RING THREAD GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
217	1	5-1/2" BUTTRESS CSG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
218	1	LOT (3) RING THREAD GAGE, 6-4 V038 3-1/2" BUTTRESS, NC61 (LOCATION: 2622 Martinville Dr, Houston TX 77017)

219	1	LOT (3) RING THREAD GAGE, 4-1/2 API REG. L.H., 4-1/2" FH-LH, 4-1/2" BUTTRESS CSG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
220	1	LOT(6) RING THREAD GAGE, 2-7/8 TBC, (2) 2-3/8 EUE, 2-7/8 EUE, 3-1/2 EUE, 3-1/2 TBG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
221	1	6-5/8" FH PLUG GAGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
222	1	LOT (2) PLUG GAGES, NC-61, 4-1/2" API REG. L.H. (LOCATION: 2622 Martinville Dr, Houston TX 77017)
223	1	LOT (2) PLUG THREAD GAGES, 6-5/8" REG., 8-5/8" REG. (LOCATION: 2622 Martinville Dr, Houston TX 77017)
224	1	LOT (2) PLUG THREAD GAGES, 6" H90, 6.875 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
225	1	LOT (3) PLUG THREAD GAGES, 7-5/8" REG. L.H., 4-1/2" IF, 2-7/8" L.H. (LOCATION: 2622 Martinville Dr, Houston TX 77017)
226	1	LOT (2) PLUG THREAD GAGES, 4.083-6 V038, 4-7/8" STRAIGHT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
227	1	LOT (5) PLUG THREAD GAGES, 2" - 4-1/2" TPI, 3.136" - 10 J-PUMP, 2" EXT. FL, (2) 4-1/2" BUTTRESS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
228	1	LOT (6) PLUG THREAD GAGE, 3-1/2" TBG, 2-7/8 LLP - TBG, 3-1/2 UP TBG, 2-7/8" TBG, 2-3/8" LIP TBG, 2-3/8" TBG (LOCATION: 2622 Martinville Dr, Houston TX 77017)
229	1	LOT MISCELLANEOUS WORKING PLUG AND RING THREAD GAGES AND (1) DRIFT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
230	1	LOT BRINELL HARDNESS TESTER, KING WITH IMPACT BRINELL TESTER, SCALE SCOPE AND TEST GAGE BLOCKS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
231	1	LOT GAGE BLOCK SET. 115"-4" (INCOMPLETE SET) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
232	1	6"-12" MITUTOYO OD MICROMETER SET WITH STANDARDS AND CASE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
233	1	6"-12" MITUTOYO OD MICROMETER SET WITH STANDARDS AND CASE (9"-10" MISSING) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
234	1	0"-6" MITUTOYO OD MICROMETER SET WITH STANDARDS AND CASE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
235	1	LOT DIAL VENIER CALIPERS, HELIOS 25" AND 12" MITUTOYO (LOCATION: 2622 Martinville Dr, Houston TX 77017)
236	1	INSIDE MICROMETER, STARRETT 124BZ, RANGE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
237	1	INSIDE MICROMETER, STARRETT RANGE 4"-40" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
238	1	LOT DIAL BORE GAGES, GAGE MAKER MITUTOYO 2"-4" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
239	1	MICROMETER STANDARDS, MITUTOYO, 12"-29" WITH CASE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
240	1	DEPTH GAGE, MITUTOYO, 1"-12" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
240A	1	DEPTH MICROMETER 6"-12" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
241	1	LOT (3) DEPTH GAGE, MITUTOYO 1"-6", STARRETT 1"-8", MITUTOYO 0"-1" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
242	1	LOT (3) DIAL THREAD HEIGHT GAGE, GAGE MAKER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
243	1	LOT INTERNAL DIAMETER GAGE, GAGE MAKER IT-5100 AND ID-DIAL CALIPER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
244	1	LOT (5) DIAL BUTTRESS GAGES, RUNOUT, AND LEAD (LOCATION: 2622 Martinville Dr, Houston TX 77017)
245	1	LOT (2) DIAL OD THREAD GAGES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
246	1	LOT (3) DIAL OD THREAD GAGES, GAGE MAKER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
247	1	OD MICROMETER, MITUTOYO, 24"-30" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
248	1	OD MICROMETER, MITUTOYO, 18"-24" WITH STANDARDS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
249	1	OD MICROMETER, MITUTOYO, 18"-24" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
250	1	OD MICROMETER, MITUTOYO, 18"-24" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
251	1	OD MICROMETER, MITUTOYO, 16"-20" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
252	1	OD MICROMETER, MITUTOYO, 12"-16" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
253	1	OD MICROMETER, MITUTOYO, 12"-16" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
254	1	OD MICROMETER, MITUTOYO, 6"-12" WITH STANDARDS AND CASE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
255	1	OD MICROMETER, STARRETT, 0-6" WITH STANDARDS AND CASE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
256	1	LOT (7) BLADE MICROMETER 0-1, UP TO 8" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
257	1	LOT (12) OD MICROMETER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
257B	1	LOT OD MICROMETER 0-12" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
257C	1	LOT OD MICROMETER 0-12" (NOT COMPLETE SET) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
258	1	LOT MRR STANDARD GAGES, GAGEMAKER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
259	1	LOT - PARALLELS, REFECTORY SCOPE, ID & OD CALIPERS, SCALES AND SQUARE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
260	1	D-SIZE BLUEPRINT FILING CABINET, 10 DRAWER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
261	1	D-SIZE BLUEPRINT FILING CABINET, 10 DRAWER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
262	1	DRAFTING TABLE 72"-37-1/2" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
263	1	ROLL AROUND SHOP TABLE 80" X 36" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
264	1	LOT (2) WOOD TABLES 6' X 3', 72" X 27", (1) FOLDING LEG TABLE, (1) FOREMAN DESK (LOCATION: 2622 Martinville Dr, Houston TX 77017)
265	1	WAREHOUSE LADDER 4 STEP (LOCATION: 2622 Martinville Dr, Houston TX 77017)
266	1	WELDING MACHINE, MILLER, MDL- CP 250TS, 25 D AMP S/N JA372978 AND WIRE FEEDER MILLERMATIC (NEEDS REPAIR) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
267	1	AXELSON ENGINE LATHE, 16" X 30", S/N 3931, (PARTS MACHINE) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
268	1	AXELSON ENGINE LATHE, 20" X 43", S/N 856, (PARTS MACHINE) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
269	1	HORIZONTAL MILL, G. DUFOUR, 250, S/N 122-136, (PARTS MACHINE) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
270	1	HORIZONTAL MILL, NICHOLS, (PARTS MACHINE) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
270A	1	HORIZONTAL BAND SAW, MARVEL AUTOMATIC WITH 10 FOOT INFEED (PARTS MACHINE) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
271	1	LOT (3) PEDESTAL GRINDERS, (2) TOOL GRINDER, (1) DOUBLE END (LOCATION: 2622 Martinville Dr, Houston TX 77017)
272	1	HYDRAULIC UNIT - 10 H/P WITH PUMP AND VALVES (LOCATION: 2622 Martinville Dr, Houston TX 77017)

273	1	LOT (2) STORAGE SHELVES WITH CONTENTS, (1) 3 TEIR METAL FRAME SHELF, 6' X 3' X 7', 2 MULTI DRAWER CABINETS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
274	1	COOLANT RECOVERY SYSTEM (LOCATION: 2622 Martinville Dr, Houston TX 77017)
275	1	METAL STORAGE RACK, 19' X 4' X 5'-1/2', 3 TIER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
276	1	FORKLIFT, HYSTER, MDL.S706, 8550 LB. CAP., 3 STAGE MASK, 194" LIFT HEIGHT, 48" FORKS, LPG ENGINE, AUTO TRANSMISSION SOLID TIRES, S/N C004007980F NEEDS REPAIR (LOCATION: 2622 Martinville Dr, Houston TX 77017)
277	1	FORKLIFT, CLARK, MDL-C500 1/5 .8 OD, 8000 POUNDS, 123" LIFT HEIGHT, 2 STAGE MASK, 33" F/L, AUTO TRANSMISSION (NEEDS REPAIR), DIESEL ENGINE, SOLID TIRES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
278	1	LOT (9) BOXES WELDING WIRE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
278B	1	LOT (5) ASSORTED PIECES PIPE MATERIAL (LOCATION: 2622 Martinville Dr, Houston TX 77017)
279	1	LOT 4 METAL SUPPORT STANDS, (1) "V" ROLLER STAND (LOCATION: 2622 Martinville Dr, Houston TX 77017)
280	1	LOT (2) MATERIAL STAGE RACKS, 12 FOOT WITH 4 SECTIONS 4 FOOT TALL POSTS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
281	1	LOT (6) METAL SUPPORT STANDS 6 FOOT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
282	1	LOT (4) METAL SUPPORT STANDS 6 FOOT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
283	1	LOT (4) METAL SUPPORT STANDS 6 FOOT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
284	1	LOT (1) METAL SUPPORT STAND 9' 10" WITH ADJUSTABLE WIDTH SUPPORT (LOCATION: 2622 Martinville Dr, Houston TX 77017)
285	1	LOT (2) PIPE RACKS, 12 FOOT NO MATERIAL (PIPE TUBING INCLUDED) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
286	1	LOT (2) PIPE RACKS, 12 FOOT NO MATERIAL (PIPE TUBING INCLUDED) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
287	1	LOT (2) PIPE RACKS, 12 FOOT NO MATERIAL (PIPE TUBING INCLUDED) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
288	1	LOT (2) PIPE RACKS, 12 FOOT NO MATERIAL (PIPE TUBING INCLUDED) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
289	1	LOT (2) PIPE MOCKS, 16-1/2 FOOT (NO PIPE OR TUBING INCLUDED) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
290	1	LOT (2) PIPE MOCKS, 16-1/2 FOOT (NO PIPE OR TUBING INCLUDED) (LOCATION: 2622 Martinville Dr, Houston TX 77017)
290A	1	TRUCK METAL BED LINER, FITS A 1990 FORD F-250 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
291	1	LOT (3) STORAGE RACK, 9 FOOT BETWEEN UPRIGHTS , 3 DEEP, 9 FOOT TALL, 3 TEIR (LOCATION: 2622 Martinville Dr, Houston TX 77017)
292	1	LOT (1) 2 DOOR STORAGE CABINET WITH CONTENTS AND PLASTIC SLEEVE MATERIAL (LOCATION: 2622 Martinville Dr, Houston TX 77017)
293	1	TRUCK ALUMINIUM BED LINER, FITS 2012 FORD SHORT BED F-150 (LOCATION: 2622 Martinville Dr, Houston TX 77017)
294	1	TRUCK ALUMINIUM BED LINER, FITS 2000 FORD LONG WHEEL BASE (LOCATION: 2622 Martinville Dr, Houston TX 77017)
296	1	WOOD SHOP TABLE 92" X 30" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
297	1	WOOD SHOP TABLE 92" X 30" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
298	1	WOOD SHOP TABLE 92" X 30" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
299	1	WOOD SHOP TABLE 92" X 30" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
300	1	LOT (2) WOOD SHOP TABLE 6' X 26" (LOCATION: 2622 Martinville Dr, Houston TX 77017)
301	1	WORK BENCH SHELF UNIT WITH FOLD UP BENCH (LOCATION: 2622 Martinville Dr, Houston TX 77017)
302	1	LOT (2) AREA LIGHTS, COOPER LIGHTING, 24" ARM, (1) DUSK & DAWN PHOTO CELL (LOCATION: 2622 Martinville Dr, Houston TX 77017)
303	1	WOOD STORAGE SHELF (LOCATION: 2622 Martinville Dr, Houston TX 77017)
305	1	LOT ABRASIVE DISC, 4" & 3" , (1) CIRCULAR SAW BLADES, AND MARKERS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
306	1	LOT (4) LEGAL SIZE 4 DRAWER FILE CABINET (LOCATION: 2622 Martinville Dr, Houston TX 77017)
307	1	LOT (3) FILE CABINETS, (2) LEGAL (1) LETTER 4 DRAWER (LOCATION: 2622 Martinville Dr, Houston TX 77017)
308	1	LOT (2) 2 DRAWER OFFICE FILE CABINETS (LOCATION: 2622 Martinville Dr, Houston TX 77017)
309	1	MULTI-DRAWER CABINET WITH CONTENTS, ALLEN WRENCHES (LOCATION: 2622 Martinville Dr, Houston TX 77017)
401	2	8" 3-Jaw Hartford Special Super Spacer Index Table, 8" dia. 3-jaw chuck, non-cumulative indexing error: 0° 0'40" (0.00097" at 10" dia.), 24-notch master index plate with divisions at 2, 3, 4, 6, 8, and 12, 5 min. vernier marker increments, S/N 11852 (LOCATION: 3603 Melva Street, Houston TX 77020)
402	2	7" Steady Rest, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
403	2	9.5" 3-Jaw Chuck, 3" through hole, type L mount, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
404	2	12.25" 3-Jaw Whiton Machine Co. Chuck, 3.5" through hole, flat back, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
405	2	12.5" 3-Jaw Bison Chuck, 4.25" through hole, camlock 6 - 1" pin (D1-8), S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
406	2	12.5" 3-Jaw Bison Chuck, 4" through hole, camlock 6 - 1" pin (D1-8), S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
407	2	8" 2-Jaw Rohm Chuck, 2 jaws, threaded back, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
408	2	10" 4-Jaw Cushman Chuck, 2.5" through hole, threaded back, S/N 1014CE3 (LOCATION: 3603 Melva Street, Houston TX 77020)
409	2	7.5" 4-Jaw Skinner Chuck, 1.5" through hole, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
410	2	6" 3-Jaw Horton Chuck, 1" through hole, flat back, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
411	2	7.5" 3-Jaw Buck Chuck, 2" through hole, flat back, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412	2	5" 3-Jaw Rohm Chuck, 1.5" through hole, flat back, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412A	2	8.25" 3-Jaw Chuck, 2.375" through hole, flat back, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412B	2	10" 3-Jaw Chuck, 3" through hole, no jaws, flat back, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412C	2	8" 3-Jaw Chuck, 2" through hole, threaded back, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412D	2	8" 3-Jaw Chuck, 2" through hole, threaded back, no jaws, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412E	2	5" 3-Jaw Chuck, 1.25" through hole, flat back, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412F	2	8.25" 3-Jaw Chuck, 2.25" through hole, flat back, missing 1 jaw, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412G	2	8.25" 3-Jaw Chuck on 10-5/8" Base Plate, 2-3/8" through hole, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412H	2	8.25" 3-Jaw Chuck on 10-5/8" Base Plate, 2-3/8" through hole, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412I	2	7" Collet Chuck, 1/2" collet, camlock back, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
412J	2	8" 3-Jaw Indexing Table, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)

412K	2	12-3/8" x 12-1/4" x 2-1/2" Steel Fixture Plate (LOCATION: 3603 Melva Street, Houston TX 77020)
412L	2	6" x 8" Tilting Angle Plate with 6" x 8" base with 3 T-slots (LOCATION: 3603 Melva Street, Houston TX 77020)
412M	2	Lot of 3 angle Plates, (1) 5" x 5", (1) 6" x 6", (1) 6" x 8" (LOCATION: 3603 Melva Street, Houston TX 77020)
412N	2	12.25" 3-Jaw Chuck, 4" through hole, flat back (LOCATION: 3603 Melva Street, Houston TX 77020)
412O	2	8" Swivel Base for Machine Vise (LOCATION: 3603 Melva Street, Houston TX 77020)
413	2	Anderson Manual Hydraulic Straightening Press, 60" bed length, 7" bed width, 1/2" wide x 1/4" deep slot in table, 2-1/4" ram diameter, S/N 7093 (LOCATION: 3603 Melva Street, Houston TX 77020)
414	2	Hammond Model CB-77BW Chip Breaking & Cup Wheel Grinder, 3450 rpm spindle speeds, 1 hp motor, Chip Breaker Side: any angle vise, vise jaws accommodate tools up to 2", Cup Wheel Side: accommodates 6" or 7" dia. cups, 8" x 14" table, 25 deg. table tilt up, 30 deg. table tilt below, S/N 9327 (LOCATION: 3603 Melva Street, Houston TX 77020)
415	2	5A Warner & Swasey Model M-3600 Square Head Saddle Type Turret Lathe with Cross Sliding Rear Turret, 36.5" swing over bed, 32.75" over carriage, 83.6" max. turning length, 104-3/16" spindle to turret face, 10 - 281 rpm, 75 hp, 12-1/2" spindle bore, A2-20 spindle nose, 32" 4-jaw chuck, front carriage with 4-way tool post, 6 pos. cross sliding rear hex turret, machine remanufactured by Warner in 1990's, S/N 3322422 (LOCATION: 3603 Melva Street, Houston TX 77020)
416	2	Sullivan Palatek Model 5 BE Tank Mounted Air Compressor, 25 SCFM rated cap. at 100 psig and 100 deg. F, 200 psig max. working pressure, 120 deg. F max. temp., 5 hp motor, R-134a refrigeration type, 7.5 oz. charge, air tank, dryer/filter, S/N 01A90480 (LOCATION: 3603 Melva Street, Houston TX 77020)
417	2	Wilton Model 4210 Combination Belt / Disc Sander, 1 hp motor, 10" disc dia., 2100 rpm disc speed, 7.375" x 14.75" disc table, 6" x 10.5" working surface, 20 deg. disc table tilt in, 45 deg. tilt out, 6" x 48" belt size, 1650 sfpm belt speed, 6.25" x 14.75" belt work table, 0-90 deg. tilt, 3 dust collection ports, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
418	2	Kalamazoo 1" Wide Vertical Belt Sander, 42" x 1" wide belt, vertical orientation, 1800 rpm belt speed, 1/3 hp motor, single phase, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
419	2	Jack Mill Machine Tools Model HDG-40 Universal Tool & Cutter Grinder, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
420	2	Cincinnati No. 2 Tool & Cutter Grinder, 10" swing over table, 5" x 36" table, 16" table long. trvl, 10" cross trvl, 180 deg. table swivel, 5" taper per ft., 10.5" vert. grinding wheel spindle trvl, 13.5" max. spindle center to table, 15 deg. spindle tilt, 5" 4-jaw work holding chuck, 3/4 hp work holding motor, S/N 1D2TIL-1356 (LOCATION: 3603 Melva Street, Houston TX 77020)
421	2	Eisele Model VMS-II-PV Circular Cold Saw, 11.8" blade dia., 3.5" max cutting dia., 3.9" stroke, 6.7" x 2.7" max. cutting cap., 30 - 90 deg. mitering cap., 4 blade speeds, 10, 20, 40, and 80 rpm, 3 hp blade motor, vise, coolant, infeed table, S/N 6022 (LOCATION: 3603 Melva Street, Houston TX 77020)
422	2	100 Ton Sunex Model 52100 Heavy Duty Air/Hydraulic H-Frame Press, 100 ton cap. on 5" dia. ram, 150 ton cap. on 6" dia. ram, 7" stroke, 1.25" pin dia., 1/3 hp air motor, 1" - 32" table range, man. winch for bed ht. adj., S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
423	2	75 Ton K.R. Wilson Model 37FX H-Frame Press, 75 ton cap., 5300 psi working pressure, 6" cyl. Bore dia., 2-15/16" cyl. Rod dia., 7.5" stroke, 17-3/8" min. work ht., 4 bed ht. adj., 35" table vert. trvl, man. bed lift winch, 42" between uprights (L-R), 6.5" between uprights (F-B), 11-1/8" table depth, 3 ton mech. press cap., 38:1 mech. press leverage ratio, 1.25" table pin dia., S/N AS-3787 (LOCATION: 3603 Melva Street, Houston TX 77020)
424	2	Famco Model W15 Ratchet Type Arbor Press, 15" max. work dia., 12.5" cap. over table, 60:1 leverage ratio, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
425	2	Brown & Sharpe Model 2B Reciprocating Table Surface Grinder, 8" x 46" table, 6" x 18" electro-magnetic chuck, 20" table long. trvl, 6.5" cross trvl, 10" vert. trvl, 18" x 6" x 9.5" max. work piece size, man. table feed, 3200 rpm spindle speed, 1 hp, 7" dia. grinding wheel, elev. handle on col., S/N 15823 (LOCATION: 3603 Melva Street, Houston TX 77020)
426	2	Abrasive Model 1-1/2 Manual Reciprocating Table Surface Grinder, 10" x 15" electro-magnetic chuck, 18" table long. trvl, 11" cross trvl, 12" vert. trvl, 6" - 18" spindle center to table, man. table feed, 3 hp grinding wheel motor, 12" dia. grinding wheel, elev. handle on col., electro-magnetic rectifier, S/N 1167 (LOCATION: 3603 Melva Street, Houston TX 77020)
427	2	11" x 58" Bridgeport Series II Vertical Milling Machine, 11" x 58" table, 3 T-slots, 30" table cross trvl, 15" saddle trvl, 16" knee vert. trvl, 2 spindle speed ranges, 50 - 3500 rpm, 4 hp, No. 40 taper, 5" spindle trvl +/- 30 deg. head tilt (F-B), +/- 90 deg. head swivel (L-R), lube, coolant, head rebuilt 2019, Note: power feed motor for table feed not working, S/N 6671 (LOCATION: 3603 Melva Street, Houston TX 77020)
428	2	16" x 60" Summit Model 16X60 Engine Lathe, 18" swing over bed, 9.5" over cross slide, 26" in gap, 15" gap length, 60" centers, 24 spindle speeds, 20 - 2000 rpm, 10 hp, 3" spindle bore, D1-8 spindle nose, 6 MT taper, 12.25" cross slide trvl, 5.375" compound trvl, 124 long. feeds, 0.00145 - 0.44474 ipr, 124 cross feeds, 0.0007 - 0.22237 ipr, 64 inch threads, 1/4 - 60 tpi, 64 metric threads, 0.5 - 120 mm, 15.75" bed width, tailstock, 4-pos. tool post, steady rest, follow rest, chuck guard 2-axis DRO, S/N 31849 (LOCATION: 3603 Melva Street, Houston TX 77020)
429	2	20" x 80" Summit Model 20X80B Engine Lathe, 20.25" swing over bed, 11.8" over cross slide, 27.6" in gap, 80" centers, 15 spindle speeds, 11.5 - 1400 rpm, 10 hp, 4" spindle bore, D1-8 spindle nose, 64 inch threads, 1/4 - 60 tpi, 64 metric threads, 0.5 - 120 mm, 15.75" bed width, tailstock, steady rest, 4-pos. tool post, work light, chuck guard, S/N 37152 (LOCATION: 3603 Melva Street, Houston TX 77020)
430	2	9" x 42" Bridgeport Textron Vertical Milling Machine, 9" x 42" table, 30" table long. trvl, 12" cross trvl, 16" knee vert. trvl, 2 spindle speed ranges, 60 - 3000 rpm, 3 hp, R-8 spindle taper, +/- 45 deg. head tilt, Acu-Rite Millivision DRO, Acu-Rite 5 scales for X / Z, Hartford 4th axis 8" 3-jaw work holding chuck, S/N 178331 (LOCATION: 3603 Melva Street, Houston TX 77020)
431	2	14" x 44" LeBlond Regal Engine Lathe, 14" swing over bed, 7" over cross slide, 44" centers, 30 - 1200 rpm spindle speeds, 1.5" spindle bore, 0.0018 - 0.106 ipr long. feeds, 0.009 - 0.053 ipr cross feeds, 2 - 224 tpi inch threads, 8" 3-jaw chuck, tailstock, steady rest, compound slide, 4-way tool post, taper attach., chip pan bed, S/N 4B 1894 (LOCATION: 3603 Melva Street, Houston TX 77020)
432	2	28" x 40" VDF Boehringer Model V5 Engine Lathe, 28" swing over bed, 39.3" centers, 18 spindle speeds, 11.5 - 560 rpm, 10 hp, 4.75" spindle bore, Acu-Rite 2-axis DRO, 24" 4-jaw chuck, tailstock, 4-way tool post, S/N 748 (LOCATION: 3603 Melva Street, Houston TX 77020)
433	2	Pratt & Whitney No. 1/2B X 50 Dual Spindle Deep Hole Drill, 3/16" - 5/8" dia. drill cap., 50" drill length cap., 8" swing over bed, 8" between spindles, dual 3 hp spindle motors, dual 3 hp pump motors, inc. all available tooling, S/N 599 (LOCATION: 3603 Melva Street, Houston TX 77020)
434	2	26" x 118" Dean, Smith & Grace Model 25P Hollow Spindle Lathe, 26.25" swing over bed, 16" over carriage, 46" in gap, 118" centers, 4.2 - 290 rpm, 20 hp, 10-7/8" spindle bore, 21.75" bed width, 48 long. feeds, 0.0014 - 0.08 ipr, 48 cross feeds, 0.007 - 0.04 ipr, 20.75" cross slide trvl, 7" compound trvl, 4-jaw front/rear chucks, Acurite 2-axis DRO, semi-auto threading with hyd. kickout, taper attach., steady rest, tailstock, inch/metric threading, Aloris tool post, misc. tooling, S/N 512 23974 (LOCATION: 3603 Melva Street, Houston TX 77020)
435	2	Bridgeport-Romi EZ Path II CNC Lathe, New 1996, 19.6" swing over bed, 9.9" over cross slide, 39.7" centers, 9.84" center ht., 10" X trvl, 39.3" Z trvl, 4 - 3500 rpm, 10 hp, 2.6" spindle bore, A2-6 spindle nose, Bridgeport EZ Path II CNC, new 11" display and keyboard installed May 2019, tailstock, 8 pos. man. tool turret, steady rest, splash guard, misc. tool holders and chuck jaws, S/N 016001726-349 (LOCATION: 3603 Melva Street, Houston TX 77020)
438	3	Axelson Deep Hole Drilling Machine, 27.5" swing over bed, 30' bed length, 144" max. drilling depth, 6" max. hole dia., 30 hp headstock motor, 6 - 750 rpm part rot. speed, 0.0021 - 0.0640 ipr boring feeds, 3-jaw workholding chuck, stuffing box saddle, boring bar saddle, high vol. cutting oil tank with piping, lrg. qty bars and bushings avail., S/N 4350 (LOCATION: 5602 Arapahoe St., Houston, TX 77020)
500	2	20 HP Pangborn Model RIM-LOC 265DD-2 Rotoblast Shot Blast Motor, new 2008, 20 hp, up to 290 fps abrasive velocity, 26.5" tip to tip vanes, 2" vane width, direct drive motor, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
501	2	20 HP Pangborn Model RIM-LOC 265DD-2 Rotoblast Shot Blast Motor, new 2008, 20 hp, up to 290 fps abrasive velocity, 26.5" tip to tip vanes, 2" vane width, direct drive motor, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)

502	2	20 HP Pangborn Model RIM-LOC 265DD-2 Rotoblast Shot Blast Motor, new 2008, 20 hp, up to 290 fps abrasive velocity, 26.5" tip to tip vanes, 2" vane width, direct drive motor, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
503	2	20 HP Pangborn Model RIM-LOC 265DD-2 Rotoblast Shot Blast Motor, new 2008, 20 hp, up to 290 fps abrasive velocity, 26.5" tip to tip vanes, 2" vane width, direct drive motor, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
504	2	12" - 22" Protom Model US-220-HSB Pipe Beveling, Facing and Counterboring Machine, new 2003, 12.75" - 21.97" ID clamping range, 0.394" - 1.181" wall thickness beveling range, 3.149" tool plate feed stroke, 1.736" mandrel exp. Stroke, 6 - 120 rpm tool plate rot. speed, 0.002 - 0.01 ipr tool plate feed, 1087 - 2175 psi mandrel service pressure, 943 - 1885 psi tool plate rot. drive pressure, 797 - 1740 tool plate feed supply pressure, capable of beveling, facing and counterboring, hyd. power unit, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
505	2	300 Degree Phoenix DryWire Type 4 Flux Core Welding Wire Oven, 100 - 300 deg. F temp. range, +/- 25 deg. F accuracy, 1000 watts, 120V input, 14.5" x 17" x 18" high int. dims, (4) 12" dia. spools cap. or (3) 16" dia. spools, thermostatic control with ind. light, 2" thick fiberglass insulation, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
506	2	300 Degree Phoenix DryWire Type 4 Flux Core Welding Wire Oven, 100 - 300 deg. F temp. range, +/- 25 deg. F accuracy, 1000 watts, 120V input, 14.5" x 17" x 18" high int. dims, (4) 12" dia. spools cap. or (3) 16" dia. spools, thermostatic control with ind. light, 2" thick fiberglass insulation, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
507	2	300 Degree Phoenix DryWire Type 4 Flux Core Welding Wire Oven, 100 - 300 deg. F temp. range, +/- 25 deg. F accuracy, 1000 watts, 120V input, 14.5" x 17" x 18" high int. dims, (4) 12" dia. spools cap. or (3) 16" dia. spools, thermostatic control with ind. light, 2" thick fiberglass insulation, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
508	2	300 Degree Phoenix DryWire Type 4 Flux Core Welding Wire Oven, 100 - 300 deg. F temp. range, +/- 25 deg. F accuracy, 1000 watts, 120V input, 14.5" x 17" x 18" high int. dims, (4) 12" dia. spools cap. or (3) 16" dia. spools, thermostatic control with ind. light, 2" thick fiberglass insulation, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
509	2	G&P Model B290-7 Medium Duty Swing Frame Grinder, 2" x 90" belt, 7.5 hp motor, 3450 rpm motor speed, pneumatic belt tensioning, NEMA 4 enclosed magnetic starter, pivot lock, swivel lock, note: can be converted to a lathe, pedestal or carriage mounted grinder, S/N 16409-01 (LOCATION: 3603 Melva Street, Houston TX 77020)
510	2	G&P Model B290-7 Medium Duty Swing Frame Grinder, 2" x 90" belt, 7.5 hp motor, 3450 rpm motor speed, pneumatic belt tensioning, NEMA 4 enclosed magnetic starter, pivot lock, swivel lock, note: can be converted to a lathe, pedestal or carriage mounted grinder, S/N 16409-02 (LOCATION: 3603 Melva Street, Houston TX 77020)
511	2	G&P Model B290-7 Medium Duty Swing Frame Grinder, 2" x 90" belt, 7.5 hp motor, 3450 rpm motor speed, pneumatic belt tensioning, NEMA 4 enclosed magnetic starter, pivot lock, swivel lock, note: can be converted to a lathe, pedestal or carriage mounted grinder, S/N 16409-03 (LOCATION: 3603 Melva Street, Houston TX 77020)
512	4	LeBlond Makino Model MC108 CNC Horizontal Machining Center, 31.5" x 31.5" rotary pallet size, 2 pallets, 41.3" X trvl, 31.9" Y trvl, 31.9" Z trvl, 10 - 4500 rpm spindle speeds, 35 hp, 6600 lbs. table load cap., Fanuc 15M CNC, 99 tool ATC, S/N NA (LOCATION: 12221 N. Houston Rosslyn Rd. Houston, TX 77086)
513	5	Pietro Carnaghi Model AC16TT 4 Axis Twin Pallet CNC Vertical Boring Mill, new 1998, 49" pallet dia., 2 pallets, 63" max. turning dia., 64" under tool, 74" max. ht. under rail, 1.7 - 380 rpm table speeds, 100 hp, 11,000 lbs. table load cap., 49" ram trvl, 9.5" x 9.5" ram cross section, Fanuc 15TT CNC, rotary type pallet changer, dual 3-jaw hyd. chucks, 12 pos. tool changer, C-axis positioning, tool probe, work probe, chip conveyor, oil chiller pendant control, S/N 97497 (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)
600	5	Warner & Swasey CNC Titan Mill/Turn Lathe, 29" swing over bed, 18.5" over carriage, 60" max. work length, 9.4" upper turret X trvl, 63" upper turret Z trvl, 6.5" lower turret Z trvl, 63" lower turret Z trvl, A2-11 spindle nose, 3.5" bar cap., 40 hp motor, 8 tool upper turret, 8 tool lower turret, Fanuc 15-TT CNC, 8" 3-jaw chuck, tailstock, coolant. chip conveyor, S/N 3338137 (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)
601	2	Mitts & Merrill (Fromag) Model CNCE50-A2-425-PPC CNC Keyseater, new 2010, 1/16" - 2" keyway width, 6-3/4" max. keyway length, 25" x 23.5" table, fixed swing type pendant, Note: needs new CNC control, S/N 141824 (LOCATION: 3603 Melva Street, Houston TX 77020)
602	6	4" Shibaura Horizontal Boring Mill, new 1981, 3.94" spindle dia., 44.1" x 49.2" rotary table, 8800 lb. table load cap., 55.1" table cross trvl, 44.5" table long. trvl, 59.1" headstock vert. trvl, 28" spindle trvl, 16 spindle speeds, 20 - 1000 rpm, 15 hp, 24 milling feeds, 0.0009 - 0.15 ipr, Newall 3-axis DRO, power rotary table, pendant control, auto lube, rapids, S/N 161074 (LOCATION: 875 Lockwood Dr., Houston, TX 77020)
603	7	63" Vanguard CNC Vertical Boring Mill, new 2009, 63" built in 4 jaw chuck, 78.7" swing, 78.7" turning dia., 63" turning ht., 17,600 table load cap., 2 table speed ranges, 1 - 254 rpm, 60 hp, -5.9" to +80.7" X axis travel, 35.4" Z axis trvl, Fanuc 18i-TB CNC, Heidenhain Scales, Precision Rail Leveling System, 16 position ATC, Spindle Oil Chiller, misc. turning and boring tool blocks, Operator Platform S/N A20800058 (LOCATION: 13500 John F Kennedy Blvd., Houston TX 77039)
604	7	63" Vanguard CNC Vertical Boring Mill, new 2009, 63" table dia., 78.7" swing, 78.7" turning dia., 63" turning ht., 17,600 table load cap., 2 table speed ranges, 1 - 254 rpm, 60 hp, -5.9" to +80.7" X axis travel, 35.4" Z axis trvl, Fanuc 18i-TB CNC, Heidenhain Scales, Precision Rail Leveling System, 16 position ATC, Spindle Oil Chiller, misc. turning and boring tool blocks, Operator Platform S/N SG07050030 (LOCATION: 13500 John F Kennedy Blvd., Houston TX 77039)
605	7	60" Giddings & Lewis CNC Vertical Boring Mill, new 1982, 60" table dia., 4-jaw comb. Ind./Univ. chuck, 72" swing, 60" under rail, 68" under turret face, 3 - 272 rpm table speeds, 75 hp, 48" cross rail trvl, G&L 800B CNC, 5-sided power indexing turret, S/N 513-97-82 (LOCATION: 13500 John F Kennedy Blvd., Houston TX 77039)
606	7	48" Giddings & Lewis CNC Vertical Boring Mill, new 1984, 48" table dia., 4-jaw chuck, 60" swing, 12" - 60" under rail, 48" under tool holder, 48" rail vert. trvl, 2 table speed ranges, 4 - 320 rpm, 60 hp, 50" ram vert. trvl, No. 60 ram taper, 8" x 8" ram, 0 - 100 ipm feeds, 12 pos. tool changer, G7L 800B CNC, pendant control, 4-pos. indexing turret on ram, 4-pos. side head, S/N 512-221-84 (LOCATION: 13500 John F Kennedy Blvd., Houston TX 77039)
607	5	Warner & Swasey CNC Titan Mill/Turn Lathe, new 1986, installed 2000, 29" swing over bed, 18.5" over carriage, 60" max. work length, 9.4" upper turret X trvl, 63" upper turret Z trvl, 6.5" lower turret Z trvl, 63" lower turret Z trvl, A2-11 spindle nose, 3.5" bar cap., 40 hp motor, 8 tool upper turret, 8 tool lower turret, CNC CONTROL, 20" 3-jaw chuck (Big Bore 500/205), tailstock, coolant. chip conveyor, S/N 3278480 (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)
608	5	Warner & Swasey SC-36 CNC Chucker Lathe, retrofit 2003, 32" swing over ways, 32" over saddle, 72" chuck to turret face, 2 speed ranges, 9 - 400 rpm, 75 hp, 13.125" spindle bore, 42" OD valve indexing chuck, GE Fanuc 18i-T CNC, 6 sta. tool turret, chip conveyor, coolant, S/N 2904623 (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)
609	5	Warner & Swasey SC-32 4-Axis CNC Chucker Lathe, retrofit 1996, 32" swing over ways, 27" over upper saddle, 60" chuck to turret face, 2 speed ranges, 9 - 400 rpm, 75 hp, 12.75" spindle bore, A-20 spindle nose, 32" Howa front mount hyd. chuck, GE Fanuc 18-TT CNC, 5 sta. ID turret, 6 sta. OD turret, chip conveyor, S/N 2849260 (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)
610	5	Warner & Swasey SC-32 4-Axis CNC Chucker Lathe, retrofit 1995, 32" swing over ways, 27" over upper saddle, 60" chuck to turret face, 2 speed ranges, 9 - 400 rpm, 75 hp, 12.75" spindle bore, A-20 spindle nose, 32" Cushman hyd. chuck, GE Fanuc 11-TT CNC, 5 sta. ID turret, 6 sta. OD turret, chip conveyor, S/N 2547812 (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)
610A	5	Steady Rest for Warner & Swasey SC-32 or 36 CNC Lathe (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)
611	5	Warner & Swasey SC-36 2-Axis CNC Lathe, retrofit 1990, 32" swing over ways, 32" swing over saddle, 72" chuck to turret face, 2 spindle speed ranges, 9 - 400 rpm, 75 hp, 13.125" spindle bore, 22" turret trvl in X, 72" turret trvl in Z, 32" front mounted hyd. chuck, Fanuc 0-T CNC, 6 sta. tool turret, chip conveyor, retrofit 1990, installed 1997, S/N 2571352 (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)
612	5	Cincinnati Milacron Cintum 28C CNC Valve Chucker Lathe, retrofit 2004, 50" swing over bed, 900 rpm spindle speed, 50 hp, 10" spindle bore, 28" O.D. 4-pos. valve indexing chuck, Fanuc 0i-TB CNC, 8 pos. turret, chip conveyor, coolant, S/N 5306C-80-008 (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)
613	5	Mazak Slant Turn 60 Universal 2000 CNC Chucker Lathe, new 1982, 36" swing over bed, 28.75" max. turning dia., 25.6" X trvl, 80.12" Z trvl, 1000 rpm, 60 hp, 6.5" spindle bore, A2-11 spindle nose, 32" front mounted 3-jaw hyd. chuck, Fanuc 6TB CNC, 12 pos. HD turret, S/N 51049 (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)

614	6	8' 19" Cincinnati Bickford Super Service Radial Arm Drill, new 1960, 96" arm length, 72" under arm, 8 - 1000 rpm spindle speeds, 20 hp, No. 6 Morse taper, 4" spindle dia., 24" spindle trvl, 0.004 - 0.125 spindle feeds, 6 tap leads, 5/8" - 4" dia. drilling cap., power elev., power clamp, rapid traverse, coolant pump, S/N 6E-349 (LOCATION: 875 Lockwood Dr., Houston, TX 77020)
615	6	5" Giddings & Lewis Model 350-T Table Type Horizontal Boring Mill, new 1960, 5" spindle dia., #50 taper, man. draw bar, 48" x 122" table, 120" table cross trvl, 84" long. trvl, 60" headstock vert. trvl, 36" spindle axial trvl, 36 main spindle speeds, 6.25 - 375 rpm, 36 aux. spindle speeds, 25 - 1500 rpm, 15 hp motor, Newall 3-axis DRO, outrigger supports, S/N 5251 (LOCATION: 6501 Navigation Blvd., Houston, TX 77011)
700	2	10 Ton Pandjiris Model PR-30/10 Welding Turning Rolls Set, 20,000 lb. cap., 6" - 180" dia. range, 2.1 - 63.0 ipm roller wheel speed, 1 hp motor, 4 roller wheel center distances, 19.5", 35", 50.5" and 66", 16" dia. x 4" width roller wheels, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
701	2	10 Ton Pandjiris Model PR-30/10 Welding Turning Roll Drive Unit with Custom Idler Unit, 20,000 lb. cap., 6" - 180" dia. range, 2.1 - 63.0 ipm roller wheel speed, 1 hp motor, 4 roller wheel center distances, 19.5", 35", 50.5" and 66", 16" dia. x 4" width roller wheels, custom built idler unit, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
702	2	3,000 Lb. Ransome Model 30-P Adjustable Height Tilt and Rotate Welding Positioner, new 1977, 42" table dia., 4 radial slots, 12" gravity center, 12" eccentricity, 0.30 - 1.20 rpm table rot. Speed, 1.5 hp rot. Motor, 0 - 135 table tilt, 5 ht. pos. on 6" centers, 42" - 66" table ht., manual ht. adj., 36,000 in-lbs rot. torque, 57,000 in-lbs tilt torque, NOTE: Missing Rotation gearbox, S/N 1721474 (LOCATION: 3603 Melva Street, Houston TX 77020)
703	2	24,000 Lb. Ransome Model 7-H / 7-T Adjustable Height Headstock / Tailstock Welding Positioner, new 1970, Drive Unit: 46" table dia., 4 radial slots, 7.5" thru-hole, 12" gravity center, 12" eccentricity, 288,000 in-lbs rot. Torque, 0.01 - 0.50 rpm rot. speed, 7.5 hp motor, 8 ht. pos. on 6" centers, 34" - 76" table hts., 2000 amps ground, Tailstock Unit: 46" table dia., 8 ht. pos. on 6" centers, manual ht. adj., tailstock on rail cart wheels with manual lockdowns, S/N 5712894 / 5812896 (LOCATION: 3603 Melva Street, Houston TX 77020)
704	2	6000 Lb. Ransome Model 60P-A Adjustable Height Tilt and Rotate Welding Positioner, new 1977, 60" table dia., 6 radial slots, 12" gravity center, 12" eccentricity, 9" inherent overhang, 0.025 - 1 rpm rotation, 2 hp rot. motor, 0 - 135 deg. table tilt, 5 hp tilt motor, 72,000 in-lbs rot. torque, 126,000 in-lbs tilt torque, NOTE: Missing Tilt Gearbox, S/N 2022703 (LOCATION: 3603 Melva Street, Houston TX 77020)
705	2	3000 Lb. Aronson Model SHD30A Adjustable Height Tilt and Rotate Welding Positioner, 36" x 36" table, 4 radial slots, 12" gravity center, 12" eccentricity, 6.8" inherent overhang, 4 table ht. adj. on 5" centers, 34.5" - 54.5" hts., 0 - 135 deg. table tilt, 2 hp table motor, 36,000 in-lbs rot. torque, 56,250 in-lbs tilt torque, 19-3/4" 3-jaw chuck, 64.5" x 106" steel base with outboard support, remote pendant, S/N 78464 (LOCATION: 3603 Melva Street, Houston TX 77020)
706	2	Ransome Model 8X8 Welding manipulator on Power Cart with Tandem ARC Set Welding System, new 1975, 8' boom hor. trvl, 8' boom vert. trvl, 3.7 - 150 ipm boom hor. speed, 40 ipm boom vert. speed, 350 lbs. boom end load, 0.5 hp reach motor, 0.5 hp lift motor, var. speed power cart, 4-way power cross slides, tandem Arc welding set-up, flux hopper, note: machine currently dis-assembled and crated, S/N 6119806 (LOCATION: 3603 Melva Street, Houston TX 77020)
707	2	20 Ton Weldwire Model 20ST Welding Turning Rolls Set with Extra Idler Unit, 40,000 lb. cap. per set, 8" - 16" dia. range, 4 roller wheel centers: 19.5", 37", 54" and 72", 15" dia. x 9" width roller wheels, 1.5 hp motor, 56 ipm roller speed, pendant control, var. speed AC motor, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
708	2	20 Ton Weldwire Model 20ST Welding Turning Rolls Set, 40,000 lb. cap. per set, 8" - 16" dia. range, 4 roller wheel centers: 19.5", 37", 54" and 72", 15" dia. x 9" width roller wheels, 1.5 hp motor, 56 ipm roller speed, pendant control, var. speed AC motor, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
800	5	Johnford Model HT-100E-2D 4-Axis CNC Slant Bed Lathe, new 2007, 27.2" swing over bed, 23.6" over slide, 98.4" centers, 4 spindle speeds, to 750 rpm, 40 hp, A2-15 spindle nose, 9.3" spindle bore, 12.6" X, 98.4" Z, rapids, Fanuc 18i-TB CNC, front mount Schunk air chucks w/ 10" hole, 12 pos. upper turret, SMW Autoblock steady, HD tailstock, pipe rack system w/ kick on/off arms and infeed / support rollers, oil chiller, chip conveyor w/ high-pressure coolant, S/N tvd7006 (LOCATION: 3603 Melva Street, Houston TX 77020)
801	5	Johnford Model HT-100E-2D 4-Axis CNC Slant Bed Lathe, new 2007, 27.2" swing over bed, 23.6" over slide, 98.4" centers, 4 spindle speeds, to 750 rpm, 40 hp, A2-15 spindle nose, 9.3" spindle bore, 12.6" X, 98.4" Z, rapids, Fanuc 18i-TB CNC, front mount Schunk air chucks w/ 10" hole, 12 pos. upper turret, SMW Autoblock steady, HD tailstock, pipe rack system w/ kick on/off arms and infeed / support rollers, oil chiller, chip conveyor w/ high-pressure coolant, S/N TVD7005 (LOCATION: 3603 Melva Street, Houston TX 77020)
903	8	30,000 lb. Hyster Model H300 Rough Terrain Forklift, diesel engine, pneumatic tires (approx. 35% wear left), double mast, 30,000 lb. cap. at 24" C.G., 212" lift ht., S/N A19P2031 (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
904	8	10" x 16" Wilton Model 7040 Horizontal Bandsaw, 10" x 16" cap., 100 - 350 sfpm blade speeds, 3 HP, 1" x 0.035" x 135" blade, coolant, S/N 06050125 (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
905	8	Sundstrand Omnimil Spiral Milling Machine, 132" x 30" table, 96" cutting area, 9.5" spindle bore, new drives and spiral attachments (03/07), S/N OM4-12 (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
906	8	Lodge & Shipley Engine Lathe, 24" swing, 144" bed length, 21" 4-jaw front and rear chucks, 8-9/16" spindle bore, 24 spindle speeds, 8 - 451 rpm, taper attachment, tailstock, 4-way tool post, threading, O.D. work only, S/N 38987 (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
907	8	Lodge & Shipley 25" Standard Engine Lathe, 24" swing, 144" bed length, 21" 4-jaw front and rear chucks, 8-7/8" spindle bore, threading, taper attachment, tailstock, steady rest, O.D. work only, S/N 42169 (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
907A		Lot of Tooling for Lodge & Shipley Lathes, tool holders, boring bars, etc. (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
907B		12" 3-Jaw Chuck and Tailstock Center (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
908	8	Warner & Swasey #4 Turret Lathe, 8-1/4" spindle bore, 30 HP motor, 4-jaw chuck, S/N 535434 (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
909	8	Hardband Unit, new 2014, with 600 Volt Power Unit, 9" spindle bore, powered by Miller Big Blue 600 Welder, with Heavy Duty Tubular Conveyance Systems with Hydraulic Lifts, and Millermatic 251 Welder, S/N NA (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
910	8	Lincoln Idealarc DC-600 Welder, S/N C195030611 (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
911	8	50 Gal. Sullair Air Compressor, new 1983, 50 gal. tank, 175 psi at 250 deg. F, 43,851 hrs., S/N 36292 (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
914	8	Lot of (3) 3-Jaw Chucks, (1) 12" 3-jaw, threaded back, (1) 12" 3-jaw, threaded back, missing top jaws, (1) 12.25" 3-jaw, flat back (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
917	8	Clean Force 1800 Power Washer (LOCATION: 4214 Bluebonnet Drive, Houston, TX 77053)
918	2	2000 Gallon Monlan (Prab) Model DF1500 Drum Type Coolant System with Paper Filtration System, 2000 ga. cap., 10 hp pump motor, 400 gpm flow rate, 39" dia. drum, 59" paper width, 8" dia. inlet, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
1000	2	2,000 Lb. Aronson Model HD20A-PTVR2 Adjustabel height Welding Positioner / Pipe Positioner, 2000 lb. cap., 6" gravity center, 6" eccentricity, 0.04 - 2 rpm rot. speed, 0 - 135 tilt angle, 12,000 lb-in rot. torque, 16,500 lb-in tilt torque, 5 ht. adj., 15" 3-jaw chuck, foot pedal, S/N 17015 (LOCATION: 3603 Melva Street, Houston TX 77020)
1001	2	2,000 Lb. Aronson Model HD20A-PTVR2 Adjustabel height Welding Positioner / Pipe Positioner, 2000 lb. cap., 6" gravity center, 6" eccentricity, 0.04 - 2 rpm rot. speed, 0 - 135 tilt angle, 12,000 lb-in rot. torque, 16,500 lb-in tilt torque, 3 ht. adj., 18" 3-jaw chuck, foot pedal, S/N 70781 (LOCATION: 3603 Melva Street, Houston TX 77020)
1002	2	42' Span Gaffey Double Girder Top Running Crane with 10 Ton P&H Hoist, 10 ton cap., 42' span, 25' lift, 16' 2" end truck length, 14' 6" end truck wheel base, 102" trolley span, 90" trolley end truck length, 32' 7" trolley trvl on bridge, 48" (approx.) top of rail to low obstruction, 1.5 hp trolley motor, pendant with 2 speed control, updated electrics, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)

1003	6	Durma Model TP63X2500 Turret Punch Press, new 2008, 49" x 33 ton cap., 60" x 120" material cap., 98" X axis range, 49" Y axis range, 1/6" stroke, 15 hp motor, 3930 ipm simultaneous speed, 600 spm punch speed (0.04" pitch/0.04" thickness), 250 spm punch speed (1" pitch/0.04" thickness), Siemens 840Dsi CNC control, 3 indexable multi-tools, 3 auto re-positionings, forming and tapping capabilities, S/N 671108168-C (LOCATION: 875 Lockwood Dr., Houston, TX 77020)
1004	6	5 Ton Triofab Tilt and Rotate, Drop Center Vertical / Horizontal Head and Tailstock System Welding Positioner, 10,000 lb. load cap., 360 deg. tilt range, inf. rot. range, 76" max. part dia., between adj. cylinders, 48" - 84" range between upper and lower workholding, slewing bearing design for tilt and rotate, 2 32" 3-jaw HD self-centering chucks, dual side drive for tilt, hyd. pos. of work holding, pendant control, like new condition, S/N NA (LOCATION: 875 Lockwood Dr., Houston, TX 77020)
1005	6	5 Ton Triofab Tilt and Rotate, Drop Center Vertical / Horizontal Head and Tailstock System Welding Positioner, 10,000 lb. load cap., 360 deg. tilt range, inf. rot. range, 76" max. part dia., between adj. cylinders, 48" - 84" range between upper and lower workholding, slewing bearing design for tilt and rotate, 2 32" 3-jaw HD self-centering chucks, dual side drive for tilt, hyd. pos. of work holding, pendant control, like new condition, S/N NA (LOCATION: 875 Lockwood Dr., Houston, TX 77020)
1006	2	Gardner-Denver 75 HP Electrascrew Rotary Screw Air Compressor with Noise Enclosure and Heat Exhaust, 75 hp motor, 185 psi max. pressure, 450 deg. F max. temp., S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
1007	2	Powermatic Model 66 Bench Grinder with Torit Dust Collector, 3/4 hp motor, 5" dia. grinding wheel (LH), 7" dia. grinding wheel (RH), cat. #2100-24, S/N 670 (LOCATION: 3603 Melva Street, Houston TX 77020)
1008	2	Black & Decker Model CB Heavy Duty Double End Tool Grinder, 1 hp motor, 1500/1800 rpm (220V/440V), 9" dia. grinding wheel (LH), 8" dia. grinding wheel (RH), S/N 53 (LOCATION: 3603 Melva Street, Houston TX 77020)
1009	2	Standard Electric Model 100 Double End Tool Grinder with Dust Extractor, type: 24FAS, 2 hp motor (220V/3P/60Hz/5.4A), 1750 rpm, 8" dia. grinding wheel (LH), 10" dia. grinding wheel (RH), S/N 25676 (LOCATION: 3603 Melva Street, Houston TX 77020)
1010	2	15 HP High Pressure Hydraulic Manifold System, 15 hp high pressure power unit, 3000 psi max. pressure, consists of manifold control valves system with 2 valve banks (1 with hoses, 1 without hoses), S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
1011	2	Rotex Model 18A52 Turret Punch Press, 8 ton cap., 18 punch stations, 18" throat, 1/8" - 2-1/4" dia. cap. (mild steel), 3/4" ram stroke, 3/16" clearance between stripper and die, hand actuated, built-in custom work table, S/N 10825 (LOCATION: 3603 Melva Street, Houston TX 77020)
1012	2	15 HP Chicago Pneumatic Tank Mounted Air Compressor, 15 hp motor, 200 deg. F max. temp., 200 psi max. pressure, 209 gal. cap., S/N 7489 (LOCATION: 3603 Melva Street, Houston TX 77020)
1013	2	Autoquip 18,000 Lb. Capacity Hydraulic Lift Table, 18,000 lbs. lift cap., 52" x 70" table, 5/8" thick top plate, 14" lowered ht., 50" raised ht., 36" lift stroke, 5 hp hyd. power pac, up/down pushbutton controls, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
1014	2	16" Tabor Model CR-10-B-16-V4sp Split Table Abrasive Cut-Off Saw, U.S. Navy surplus, 16" blade dia., 10 hp motor, split table, 18" x 26" each, 1 T-slot in each table, manual ht. adj., S/N 78M 2517 (LOCATION: 3603 Melva Street, Houston TX 77020)
1015	2	QVAC Model 2428-ST Unitized Shrink Wrap Tunnel Packaging System, sealer mdl 2428-S, 24" x 28" sealer frame, shrink tunnel mdl 2428-T, 26" x 42" x 9" ht. cap., up to 20 packages per min. speed, 220V, single phase, S/N 1027 (LOCATION: 3603 Melva Street, Houston TX 77020)
1016	2	17" Slitter (Paper and Plastic Film), 17" max. width, 7 cutting wheels, 22.75" W x 22.5" D infeed table, 22.7 W x 24" D outfeed table, 1/3 hp motor, mfg. unknown, S/N NA (LOCATION: 3603 Melva Street, Houston TX 77020)
1017	2	Hydraulic Supply Unit, Model 506.02C, Hyd. Supply Mdl 506.02C: 22.8 gpm, 3000 psi oper. press., S/N 585; Heat Exchanger Mdl 3-702-77403: 250 psi oper. press. (shell), 150 psi oper. press. (tubes), 250 deg. F max. temp., S/N 126208; Crown Triton AC Motor (new 2011), 15 hp, 254T frame, PLP type, Cat. # HH115-18-254T (LOCATION: 3603 Melva Street, Houston TX 77020)
1018	2	Hydraulic Power Unit with Young Model OCH174 Radiator, Young Radiator: Mdl OCH174, S/N 2524900; Main Motor: Mitsubishi, 3 phase ind. motor, 15 hp, Mdl DO154HSOO, Type: SB-E, 254T frame, S/N L11950948; Delaval IMO Pump Mdl 33-016RB1P (LOCATION: 3603 Melva Street, Houston TX 77020)
1019	2	4' 11" Yoshida Model YRD-1000E Radial Arm Drill, 47" arm length, 11" dia. col., 39" head trvl on arm, 200 - 1800 rpm spindle speeds, 0.002 - 0.040 ipr feeds, box table: 25.5" x 19.75" top (3 T-slots), 25.5" x 17" side (3 T-slots), pwr head elev., pwr arm trvl., S/N 420405 (LOCATION: 3603 Melva Street, Houston TX 77020)
1020	2	Lot of 2 Dead Centers, 2" dia. x 10.5" length (LOCATION: 3603 Melva Street, Houston TX 77020)
1021	2	Lot of 2 Dead Centers, 2" dia. x 10.5" length (LOCATION: 3603 Melva Street, Houston TX 77020)
1022	2	Lot of 2 Dead Centers, 2" dia. x 10.5" length (LOCATION: 3603 Melva Street, Houston TX 77020)
1023	2	Lot of 2 Dead Centers, 2" dia. x 10.5" length (LOCATION: 3603 Melva Street, Houston TX 77020)
1024	2	Lot of 2 Dead Centers, 2" dia. x 10.5" length (LOCATION: 3603 Melva Street, Houston TX 77020)
1025	2	Jacobs Chuck Arbor, 5MT/5JT (LOCATION: 3603 Melva Street, Houston TX 77020)
1026	2	Jacobs Chuck Arbor, 5MT/5JT (LOCATION: 3603 Melva Street, Houston TX 77020)
1027	2	Buckeye Cooper Model 42LD-803 Pneumatic Self-Feed Drilling Tool, 0.9 hp, 250 lbs. thrust at 90 psi, 1850 rpm, 3" stroke, 3/8" drilling cap. (mild steel/aluminum), 7/8" cap. (wood), 3/8" chuck, 3/8"-24 spindle, 1/4" NPT air inlet, 1/8" NPT remote control ports, S/N VC0786 (LOCATION: 3603 Melva Street, Houston TX 77020)
1028	2	Lot of Miscellaneous Measuring Tools (LOCATION: 3603 Melva Street, Houston TX 77020)
1029	2	Lot of 6 Assorted Tool Holders (LOCATION: 3603 Melva Street, Houston TX 77020)
1030	2	Lot of 2 Tool Holders (LOCATION: 3603 Melva Street, Houston TX 77020)
1031	2	Lot of 6 Assorted Tool Holders (LOCATION: 3603 Melva Street, Houston TX 77020)
1032	2	Lot of 3 Tool Holders (LOCATION: 3603 Melva Street, Houston TX 77020)
1033	2	Lot of 4 Tool Holders (LOCATION: 3603 Melva Street, Houston TX 77020)
1034	2	Lot of 4 Tool Holders (LOCATION: 3603 Melva Street, Houston TX 77020)
1035	2	Miscellaneous Tool Holder (LOCATION: 3603 Melva Street, Houston TX 77020)
1036	2	Rack for Storage of Sockets/Tools (empty) (LOCATION: 3603 Melva Street, Houston TX 77020)
1037	2	Go / No Go Cylindrical Plug Gauge, 0.251 - 0.500, with assorted gauge pins (LOCATION: 3603 Melva Street, Houston TX 77020)
1039	2	72" x 60" x 35" High Acorn Platens & Tools Welding Table with Vise and Accessories (LOCATION: 3603 Melva Street, Houston TX 77020)
1040	2	6" dia. Miscellaneous Cutting Tool (LOCATION: 3603 Melva Street, Houston TX 77020)
1041	2	24" Custom Base Plate Fixture, 24" dia., 5" thick, ETFM-001, MF-1000, Base Plate EC1600 (LOCATION: 3603 Melva Street, Houston TX 77020)
1042	2	1" dia. Oil Pump Hose on Reel and Base Fixture (LOCATION: 3603 Melva Street, Houston TX 77020)
1043	2	1" dia. Oil Pump Hose on Reel (LOCATION: 3603 Melva Street, Houston TX 77020)
1044	2	100 Lb. Capacity Balance Arm Scale (LOCATION: 3603 Melva Street, Houston TX 77020)
1045	2	New, Assorted Drive Belts in Box and on Pallet (LOCATION: 3603 Melva Street, Houston TX 77020)
1046	2	New, Boxed Assorted / Miscellaneous Filters (LOCATION: 3603 Melva Street, Houston TX 77020)
1047	2	4" Machine Vise (LOCATION: 3603 Melva Street, Houston TX 77020)

1048	2	4-3/4" Machine Vise (LOCATION: 3603 Melva Street, Houston TX 77020)
1049	2	4-3/4" Machine Vise (LOCATION: 3603 Melva Street, Houston TX 77020)
1050	2	Kurt 5-1/2" Machine Vise (LOCATION: 3603 Melva Street, Houston TX 77020)
1051	2	Swiveling T-slotted Tabel Mill Accessory (LOCATION: 3603 Melva Street, Houston TX 77020)
1052	2	3" Tilt / Swivel Machine Vise (LOCATION: 3603 Melva Street, Houston TX 77020)
1053	2	3" Tilting Machine Vise (LOCATION: 3603 Melva Street, Houston TX 77020)
1054	2	10" Heavy Duty Machine Vise (LOCATION: 3603 Melva Street, Houston TX 77020)
1054A	2	4" Vise (LOCATION: 3603 Melva Street, Houston TX 77020)
1054B	2	2-Piece Machine Vise (LOCATION: 3603 Melva Street, Houston TX 77020)
1055	2	10" x 2" Face Plate, camlock back, 2-3/4" thru-hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1056	2	10" x 2" Face Plate, threaded back, 3-1/4" thru-hole with keyway, 200 rpm max. (LOCATION: 3603 Melva Street, Houston TX 77020)
1057	2	10" x 2" Face Plate, threaded back, 3-1/4" thru-hole with keyway, 200 rpm max. (LOCATION: 3603 Melva Street, Houston TX 77020)
1058	2	12" x 1-1/4" Face Plate, camlock back, 3-1/4 thru-hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1059	2	12" x 1-1/4" Face Plate, camlock back, 3-1/4 thru-hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1060	2	12" x 1-1/4" Face Plate, camlock back, 3-1/4 thru-hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1061	2	9-1/2" x 1-1/2" Face Plate, threaded back, 3-1/4" thru-hole with keyway (LOCATION: 3603 Melva Street, Houston TX 77020)
1062	2	10" x 1-1/4" Face Plate, camlock back, 2-3/8" thru-hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1063	2	10" x 1-1/4" Face Plate, camlock back, 2-3/8" thru-hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1064	2	8" x 1-1/4" Face Plate, threaded back, 2-1/8" thru-hole with keyway (LOCATION: 3603 Melva Street, Houston TX 77020)
1065	2	8-1/2" x 1-1/4" Face Plate, camlock back, 2-3/8" thru-hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1066	2	7-3/4" x 5/8" Face Plate, camlock back, 2-3/8" thru-hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1067	2	Lot of 3 Tool Holders (LOCATION: 3603 Melva Street, Houston TX 77020)
1068	2	Lot of 8 Tool Holders (LOCATION: 3603 Melva Street, Houston TX 77020)
1069	2	Lot of 5 Tool Holders (LOCATION: 3603 Melva Street, Houston TX 77020)
1070	2	Lot of 5 Tool Holders (LOCATION: 3603 Melva Street, Houston TX 77020)
1071	2	Lot of Assorted Chuck Jaws (LOCATION: 3603 Melva Street, Houston TX 77020)
1072	2	Lot of Assorted Chuck Jaws (LOCATION: 3603 Melva Street, Houston TX 77020)
1073	2	Lot of Assorted Workholding Fixtures (LOCATION: 3603 Melva Street, Houston TX 77020)
1074	2	Tree Model HRB 4102 Electronic Scale (LOCATION: 3603 Melva Street, Houston TX 77020)
1075	2	Lot of 2 Granite Surface Plates (LOCATION: 3603 Melva Street, Houston TX 77020)
1076	2	Lot of 23 Bolsters on 1 Pallet (LOCATION: 3603 Melva Street, Houston TX 77020)
1077	2	Lot of 6 Bolsters on Pallet (LOCATION: 3603 Melva Street, Houston TX 77020)
1078	2	Lot of 7 Bolsters on Pallet (LOCATION: 3603 Melva Street, Houston TX 77020)
1079	2	Lot of 3 Metal Rolling Carts (LOCATION: 3603 Melva Street, Houston TX 77020)
1080	2	Lot of 3 Plastic Rolling Carts (LOCATION: 3603 Melva Street, Houston TX 77020)
1081	2	7" Adapter Plate, 3" through hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1082	2	6" Adapter Plate, 2" through hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1083	2	10" Adapter Plate, 2-5/8" through hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1084	2	11-3/4" Adapter Plate, 4-3/4" through hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1085	2	10" Adapter Plate, 2-3/4" through hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1086	2	9-1/2" Adapter Plate, 6-1/2" through hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1087	2	10" Adapter Plate, 3" through hole (LOCATION: 3603 Melva Street, Houston TX 77020)
1088	2	10-3/8 Adapter Ring, 9-1/4" through hole, 9/16" wall thickness, 2-3/4" height (LOCATION: 3603 Melva Street, Houston TX 77020)
1089	2	9" PLate, 2-5/8" through hole, 1-1/2" thick (LOCATION: 3603 Melva Street, Houston TX 77020)
1090	2	5-1/4" Adapter Fixture, 1-1/2" hole on top, 5" height, 3-1/2" hole through body, 4-1/4" deep body cavity (LOCATION: 3603 Melva Street, Houston TX 77020)
1091	2	Tapered Adapter Fixture, 10-1/4" base with 4-1/2" hole, 7-1/2" top with 2-1/8" hole, 3-1/2" height (LOCATION: 3603 Melva Street, Houston TX 77020)
1092	2	8" Adapter Fixture, 6" through hole, 7-1/2" height (LOCATION: 3603 Melva Street, Houston TX 77020)
1093	2	10" Adapter Fixture with 3-1/4" through hole, 9" overall height, 6-3/4" stem height, 4" stem dia., threaded at base (LOCATION: 3603 Melva Street, Houston TX 77020)
1094	2	10" 2-Piece Adapter Fixture, 8-1/4" through hole, 6" height, 6 bolt holes (threaded) (LOCATION: 3603 Melva Street, Houston TX 77020)
1095	2	ETM Collet Chuck set, 1/8" - 1" (LOCATION: 3603 Melva Street, Houston TX 77020)
1096	2	Miscellaneous Tooling on 4 Shelf Wire Rack (LOCATION: 3603 Melva Street, Houston TX 77020)
1097	2	Easy Weigh Model BX-120+ 120 Lb. Capacity Digital Scale (LOCATION: 3603 Melva Street, Houston TX 77020)
1098	2	2 Door Rolling Cabinet with Contents (LOCATION: 3603 Melva Street, Houston TX 77020)
1099	2	Lot of 2 Metal Storage Racks, 7-Shelves each (LOCATION: 3603 Melva Street, Houston TX 77020)
1100	2	Lot of 3 Hand Trucks (LOCATION: 3603 Melva Street, Houston TX 77020)
1101	2	Lot of 3 Hand Trucks (LOCATION: 3603 Melva Street, Houston TX 77020)
1102	2	Lot of 3 Hand Trucks (LOCATION: 3603 Melva Street, Houston TX 77020)
1103	2	Lot of 3 Hand Trucks (LOCATION: 3603 Melva Street, Houston TX 77020)
1104	2	Lot of 5 Rolling Storage Racks, 3 Tall, 2 Short (LOCATION: 3603 Melva Street, Houston TX 77020)
1105	2	Lot of 2 Metal Storage Racks, (1) 6-Shelf, (1) 5-Shelf (LOCATION: 3603 Melva Street, Houston TX 77020)
1106	2	10 Shelf Metal Storage Cabinet (LOCATION: 3603 Melva Street, Houston TX 77020)
1107	2	4 Drawer / 1 Shelf Metal Filing Cabinet (LOCATION: 3603 Melva Street, Houston TX 77020)
1108	2	Lot of 2 Work Tables (LOCATION: 3603 Melva Street, Houston TX 77020)

1109	2	24" x 24" x 18" High Metal Table on Casters with Micarta Top (LOCATION: 3603 Melva Street, Houston TX 77020)
1110	2	96" x 32" x 12" High Transfer Cart on Wheels (LOCATION: 3603 Melva Street, Houston TX 77020)
1111	2	Lot of Folding Chairs on Wheeled Storage Cart (LOCATION: 3603 Melva Street, Houston TX 77020)
1112	2	Lot of Folding Chairs on Wheeled Storage Cart (LOCATION: 3603 Melva Street, Houston TX 77020)
1113	2	Lot of 6 Parts Storage Bins / Cabinets on Pallet, with Contents (LOCATION: 3603 Melva Street, Houston TX 77020)
1114	2	2 Shelf Rolling Metal Storage Rack with Contents (LOCATION: 3603 Melva Street, Houston TX 77020)
1115	2	Lot of Inconel and Other Alloy Welding Rods on Pallet, [Special Materials, Inconel 740H, 0.093" dia., 36" length, qty: 1 tube, partial, (tube #50), ~6 lbs.]; [Special Materials, Inconel 625, 0.125" dia., 36" length, qty: 6 tubes (tube #179, 180, 185, 186, 187, 189), 10 lbs. each]; [Special Materials, Inconel 82, 0.125" dia., 36" length, qty: 3 tubes (tube #209, 210, 258), 10 lbs. each]; [Pinnacle Alloys, ER70S-6, 0.125" dia., 36" length, qty: 2 tubes, 10 lbs. each]; [Techalloy Co., 309/309L, 3/32" dia., 36" length, qty: 2 tubes, 10 lbs. each]; [Bohler Welding, 7018 H4R, 3/16" dia., 18" length, qty: 3 boxes, 34.5 lbs. each]; [Bohler Welding, 7018 H4R, 5/32" dia., 14" length, qty: 3 boxes, 27 lbs. each]; [Unibraze, ER309LMo, 1/8" dia., 36" length, qty: 1 box, 10 lbs.] (LOCATION: 3603 Melva Street, Houston TX 77020)
2000	2	Maintenance Room Cabinet, 6 drawers (1/2 Drive Sockets, 1/2 Drive Deep Sockets, 3/4 Drive Sockets, BLANK, 3/4 Drive Deep Sockets, BLANK) Note: Most drawers appear to be empty or with few contents. (LOCATION: 3603 Melva Street, Houston TX 77020)
2001	2	Maintenance Room Cabinet, 5 drawers (Feeler Stock, Drill Chucks, BLANK, Dyna-File, BLANK) Note: Sparse content in some drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2002	2	Maintenance Room Cabinet, 8 drawers (BLANK, Airetool, BLANK, BLANK, Strap Wrenches, BLANK, Airetool, BLANK) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2003	2	Maintenance Room Cabinet, 5 drawers (Air Chisel Bits, Spark Resistant Tools, Line Up Pins Wedges, Pipe Wrench Parts, BLANK) Note: Sparse content in some drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2004	2	Maintenance Room Cabinet, 5 drawers (ALL BLANK) Note: Content in some drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2005	2	Maintenance Room Cabinet, 5 drawers (Wilden Pump Parts, Wilden Pump Parts, Wilden Pump Parts, Wilden Pump Parts, BLANK) Note: Content in some drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2006	2	Maintenance Room Cabinet, 12 drawers (Socket Head Cap Screws, Socket Head Cap Screws, Socket Head Cap Screws, Snap Rings, Roll Pins/E-Clips, Cotter Pins/Pop Rivets, Gardserts/Keenserts, Metric Bolts/Nuts, Metric Socket & Set Screws, Machine Screws, Sheet Metal Screws, Set Screws) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2007	2	Maintenance Room Cabinet, 10 drawers (Torx Bits/Grinding Stones, O-Rings, O-Rings, Std. Nuts/Bolts, Blow Guns/Greenlee Parts, Hooks, BLANK, Spanner Wrenches, Tap/Die Handles, Binks Blowers) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2008	2	Maintenance Room Cabinet, 6 drawers (Safety Latches, Hilti Bolts & Drop-Ins, Hilti Bolts & Drop-Ins, Locktite/Silicone/Grease, Misc. Taps, H Taps/Metric Taps/Dies) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2009	2	Maintenance Room Cabinet, 7 drawers (ALL BLANK) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2011	2	Maintenance Room Cabinet, 9 drawers, top storage compartment with flip top (BLANK, Taper Pin Reamers, Machine Reamers, Taper Pins, Keystock, Bandit, BLANK, Arch Hole Punches, BLANK, BLANK) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2012	2	Maintenance Room Cabinet, 10 drawers (BLANK, BLANK, BLANK, BLANK, BLANK, BLANK, BLANK, Heli-Coils, Heli-Coils, BLANK) Note: Blank drawers appear empty, some content in marked drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2013	2	Maintenance Room Cabinet, 6 drawers (Structural Reamers, Adjustable Reamers, the rest BLANK) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2014	2	Maintenance Room Cabinet, 10 drawers (Some drawers labeled, not readable from photos) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2015	2	Maintenance Room Upright Cabinet, 2 Door, (5 Shelves on right, 2 Shelves on left) Note: Empty (LOCATION: 3603 Melva Street, Houston TX 77020)
2016	2	Maintenance Room Cabinet, 11 drawers (ALL BLANK) Note: Sparse content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2017	2	Maintenance Room Cabinet, 12 drawers (Some drawers labeled, not readable from photos) Note: Content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2018	2	Maintenance Room Cabinet, 12 drawers (Some drawers labeled, not readable from photos) Note: Content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2020	2	Maintenance Room Cabinet, 10 drawers (Some drawers labeled, not readable from photos) Note: Content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2021	2	Maintenance Room Cabinet, 8 drawers (ALL BLANK) Note: Sparse content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2022	2	Maintenance Room Cabinet, 7 drawers (ALL BLANK) Note: Drawer contents unknown (no photos of open drawers) (LOCATION: 3603 Melva Street, Houston TX 77020)
2023	2	Maintenance Room Cabinet, 11 drawers (ALL BLANK) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2024	2	Maintenance Room Cabinet, 10 drawers (ALL BLANK) Note: Sparse content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2025	2	Maintenance Room Cabinet, 9 drawers (ALL BLANK) Note: Sparse content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2027	2	Maintenance Room Cabinet, 6 drawers (ALL BLANK) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2028	2	Maintenance Room Cabinet, 7 drawers (Some labeled, unreadable from photos, the rest BLANK) Note: Sparse content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2029	2	Maintenance Room Cabinet, 7 drawers (ALL BLANK) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2030	2	Maintenance Room Cabinet, 7 drawers (Some labeled, unreadable from photos, the rest BLANK) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2031	2	Maintenance Room Cabinet, 6 drawers (Labeled but unreadable from photos) Note: Some content in drawers (LOCATION: 3603 Melva Street, Houston TX 77020)
2034	2	Preston-Eastin Model PA-25 HD6 2500 Lb. Welding Positioner, new 1982, 2500 lb. cap, 30" x 30" table, 6" gravity center, 6" eccentricity, 5.56" inherent overhang, 15,000 lb-in rotational torque, 28,900 lb-in tilting torque, 0.1 - 2.0 rpm table rot., 0 - 135 deg. table tilt, S/N PA25HD45 (LOCATION: 3603 Melva Street, Houston TX 77020)
2035	2	Enerpac H-Frame Shop Press (LOCATION: 3603 Melva Street, Houston TX 77020)
3000	2	Upright Cabinet with 2 Compartments with Contents (LOCATION: 3603 Melva Street, Houston TX 77020)
3001	2	Upright Cabinet with 2 Compartments with Contents (LOCATION: 3603 Melva Street, Houston TX 77020)
3002	2	2 Door Upright Cabinet with Miscellaneous Contents (LOCATION: 3603 Melva Street, Houston TX 77020)
3003	2	2 Door Upright Cabinet with Miscellaneous Contents (LOCATION: 3603 Melva Street, Houston TX 77020)
3004	2	Lista 9 Drawer Cabinet with Some Miscellaneous Contents (LOCATION: 3603 Melva Street, Houston TX 77020)
3005	2	Shelving with 34 Pull-out Bins with Contents (O-rings, some hex nuts, etc.) (LOCATION: 3603 Melva Street, Houston TX 77020)
3006	2	Kennedy 7 Drawer Tool Cabinet (LOCATION: 3603 Melva Street, Houston TX 77020)

3007	2	Four Kennedy 7 Drawer Tool Cabinets, Connected, with Contents (Inspections Tools, Dies, Drill Bits, etc.) (LOCATION: 3603 Melva Street, Houston TX 77020)
------	----------	---